



## SUPERNOVA® 4" SINGLE-SYSTEM LED BACKUP LAMP

Meets backup function with single-lamp system • Encapsulant potting for total circuit-board protection • Advanced pin connection system uses tin-plated, solid-brass pin terminals • Uses same UBS pigtail as male pin incandescent • Hard coated lens for long-term UV protection

**62401** Clear, Male Pin

Material: Polycarbonate  
 FMVSS: R  
 Finish: Clear  
 Volts / Amps: 12V / .6A  
 Bracket: 43343, 92510, 92512, 92513, 43253  
 Grommet: 91740, 91950  
 Pigtail: 66842, 67013, 66846, 66016





## 4" TORSION MOUNT® II SINGLE-SYSTEM BACKUP LAMP

Torsion Mount® II Gel-Mount® bulb cradle design • Meets backup function with single-lamp system • Hermetic lens-to-housing seal

**62211** Clear, Male Pin  
**62271** Clear, Female Pin

**KITS:**  
**62331** Clear, Male Pin (62271 + 91740 + 67010)  
**62221** Clear, Female Pin (61451 + 91740 + 67013)

Material: Polycarbonate  
 FMVSS: R  
 Finish: Clear  
 Bulb: 2057 32/2 CP  
 Volts / Amps: 12V / 2.1A  
 Bracket: 43572, 43253, 92510, 92512, 92513  
 Grommet: 91740, 91950  
 Pigtail: Male Pin: 66842, 67013, 66846, 66016  
 Female Pin: 67011, 67010, 67014, 67020





## SUPERNOVA® 4" DUAL-SYSTEM LED BACKUP LAMP

Requires two lamps to meet backup function • Encapsulant potting for total circuit board protection • Advanced pin connection system uses tin-plated, solid-brass terminations • Uses same UBS pigtail as male incandescent • Hard coated lens for long-term UV protection

**62391** Clear  
**62571** Clear **24** Volts


Material: Polycarbonate  
 FMVSS: (2)R  
 Finish: Clear  
 Volts / Amps: 12V / .25A  
 Volts / Amps: 24V / .15A  
 Bracket: 43343, 92510, 92512, 92513, 43253  
 Grommet: 91740, 91950  
 Pigtail: 66842, 67013, 66846, 66016




# License and Backup

Feux de Plaque d'Immatriculation et de Recul    Lámparas de Placa / Reversa

**LED**



62091



62811

## SUPERNOVA® NEXGEN™ 4" DUAL-SYSTEM LED BACKUP LAMP

Fits standard 4" lamp grommets and brackets • Hermetically sealed lamp prevents water intrusion • Requires two lamps to meet backup function  
 • Encapsulant potting for total circuit board protection • Flanged lamps require no additional mounting brackets


- 62091** Clear, Male Pin  
**62101** Clear, Hard Shell

### FLANGED W/GASKET

- 62781** Clear, Male Pin **NEW**  
**62791** Clear, Hard Shell **NEW**

Material: ABS/Acrylic  
 FMVSS: (2)R  
 Finish: Clear  
 Volts / Amp: 12V / .55A  
 Bracket: 93552, 43253, 92510, 92511, 92513, 43572, 43642, 43655, 43732, 93190, 93553, 93683, 51090  
 Grommet: 91740, 91950  
 Pigtail: Male pin: 66842, 67013, 66846, 66016; Hard shell: 66862

**LED**



## GROTE SELECT™ 4" DUAL-SYSTEM LED BACKUP LAMP

Fits standard 4" lamp grommets and brackets • Hermetically sealed lamp prevents water intrusion • Requires two lamps to meet backup function  
 • Standard aftermarket connection provides for ease of replacement

- 62691** Female Pin

Material: ABS/Acrylic  
 FMVSS: (2)R  
 Finish: Clear  
 Volts / Amps: 12V / .55A  
 Bracket: 93552, 43253, 92510, 92511, 92512, 92513, 43572, 43642, 43655, 43732, 93190, 93553, 93683, 51090  
 Grommet: 91740, 91950  
 Pigtail: 66812, 66811

## 4" TORSION MOUNT® II DUAL-SYSTEM BACKUP LAMP


Requires two lamps to meet backup function • Torsion Mount® II Gel-Mount® bulb cradle design • Kit includes lamp, grommet (91740) and pigtail (67002) • Hermetic lens-to-housing seal

- 62121** Frosted Clear, Male Pin  
**62171** Frosted Clear, Female Pin  
**62321** Frosted Clear, Female Pin **24**

### KITS:

- 62181** Frosted Clear, Female Pin (62171 + 91740 + 67010)


Material: Polycarbonate  
 FMVSS: (2)R  
 Finish: Frosted  
 Bulb: 2057, 32 CP Volts / Amps: 12V / 2.1A  
 Bracket: 43572, 43253, 92510, 92512, 92513  
 Grommet: 91740, 91950  
 Pigtail: Male Pin: 66842, 67013, 66846, 67016; Female Pin: 67010, 67014, 67011, 67020



# License and Backup

Feux de Plaque d'Immatriculation et de Recul    Lámparas de Placa / Reversa

LED




## SUPERNOVA® NEXGEN™ OVAL DUAL-SYSTEM LED BACKUP LAMP

Fits standard oval lamp grommets and brackets • Hermetically sealed lamp prevents water intrusion • Requires two lamps to meet backup function  
 • Lamps must be mounted vertically • Encapsulant potting provides total circuit board protection

**62051** Male Pin

Material: ABS/Acrylic  
 FMVSS: (2)R  
 Finish: Clear  
 Volts / Amps: 12V / .30A  
 Bracket: 43362, 43952, 43220, 43223, 43222, 43723, 43100  
 Grommet: 92420, 92720  
 Pigtail: 66842, 67013, 66846, 66016

LED




## GROTE SELECT™ OVAL DUAL-SYSTEM LED BACKUP LAMP

Fits standard oval lamp grommets and brackets • Hermetically sealed lamp prevents water intrusion • Requires two lamps to meet back-up function  
 • Lamps must be mounted vertically • Product uses standard aftermarket connection for ease of installation

**62751** Female Pin

Material: ABS/Acrylic  
 FMVSS: (2)R  
 Finish: Clear  
 Volts / Amps: 12V / .30A  
 Bracket: 43362, 43952, 43220, 43223, 43222, 43723, 43100  
 Grommet: 92420, 92720  
 Pigtail: 67010, 67011, 67014, 67020



## TORSION MOUNT® III OVAL MALE-PIN DUAL-SYSTEM BACKUP LAMP

Fits standard oval lamp grommets and brackets • Torsion Mount® III, Gel Mount® bulb cradle design ensures longer bulb life • O-ring seal design eliminates corrosion • Requires two lamps to meet backup function

**62241** Clear, Male Pin

**62231** Clear, Female Pin

### KITS:

**62251** Clear, Female Pin (62231 + 92420 + 67010)


Material: Polycarbonate  
 FMVSS: (2)R  
 Finish: Clear  
 Bulb: 1157, 32 CP  
 Volts / Amps: 12V / 2.1A  
 Bracket: 43362, 43952, 43220, 43222, 43223  
 Grommet: 92420, 92720  
 Pigtail: Male pin: 66842, 67013, 66846, 67016  
 Female pin: 67010, 67011, 67014, 67020

## ECONOMY OVAL DUAL-SYSTEM BACKUP LAMP

Requires two lamps to meet backup function • Hermetic lens-to-housing seal • Fits standard oval lamp grommets and brackets • Standard female pin termination

**62521** Clear, Female Pin

Material: Polycarbonate  
 FMVSS: (2)R  
 Finish: Clear  
 Bulb: 1141  
 Volts / Amps: 12V / 2.1A  
 Bracket: 43362, 43952, 43220, 43222, 43223  
 Grommet: 92420, 92720  
 Pigtail: 67010, 67011, 67014, 67020




## RECTANGULAR DUAL-SYSTEM BACKUP LAMP

Tough polycarbonate lens • Hermetic lens-to-housing seal • Requires two lamps to meet backup function

**62381** Clear, Female Pin

Material: Polycarbonate  
 FMVSS: (2)R  
 Finish: Clear  
 Bulb: 2057, 32 CP  
 Volts / Amps: 12V / 2.1A  
 Bracket: 43212  
 Grommet: 94180  
 Pigtail: 67010, 67011, 67014, 67020



## OE-STYLE DUAL-SYSTEM BACKUP LAMP

Requires small 1 1/16" hole for installation • Mounting pad included • For use on buses and trucks • Requires two lamps to meet backup function

**62011** Gray Bezel  
**62021** Chrome-Plated Bezel  
**62021-5** Chrome-Plated Bezel, Retail Pack

Material: ABS/Acrylic/Steel  
 FMVSS: (2)R  
 Finish: Clear  
 Bulb: 1156, 32 CP  
 Volts / Amps: 12V / 2.1A  
 Pigtail: 68080  
 Lens: Clear 90221

