



Battery Cables - Pre-Made Lengths

- Meet or exceed SAE specifications; ideal for OEM replacement
- 100% fine stranded copper wire with black PVC insulation
- Tinning of copper wire before casting ensures perfect bond between wire and connector
- Antimonial lead connectors resist corrosion; die-cast process seals copper wires from acid fumes and corrosive salts
- Universal polarity top post connector
- Light duty trucks, vans and recreational vehicles (R.V.)
- Standard 3/8" stud hole

Top Post Cables

Centre to Centre Dimension	Pack Size	6 Gauge Part No.	4 Gauge Part No.	1 Gauge Part No.
10"	1		84-9224	
12"	1	84-9339	84-9225	84-9241
14"	1		82-7014	
15"	1		84-9226	
16"	1		84-9227	84-9242
17"	1	84-9340		
19"	1		84-9230	84-9243
21"	1			84-9503
22"	1		84-9228	
23"	1			84-9335
24"	1	84-9341	84-9231	
25"	1		82-7025	
27"	1		84-9232	84-9244
30"	1		84-9233	84-9245
32"	1		84-9234	
36"	1		84-9229	84-9246
36"	1 RED			84-9571
37"	1		84-9235	
41"	1			84-9247
42"	1		84-9236	84-9336
48"	1		84-9237	84-9248
48"	1 RED			84-9572
53"	1		82-7053	84-9337
56"	1		84-9332	
60"	1		84-9238	
62"	1		84-9333	
65"	1			84-9510
72"	1		82-7072	
78"	1			84-9338
84"	1		84-9334	

Side Terminal Cables

- 3/8" -16 x 13/32" bolts
- 1/2" hex head bolt

Centre to Centre Dimension	Description	Pack Size	4 Gauge Part No.
15"	Side Terminal	1	84-9249
25"	Side Terminal	1	84-9250
35"	Side Terminal	1	84-9251
45"	Side Terminal	1	84-9252
55"	Side Terminal	1	84-9253
65"	Side Terminal	1	84-9254



84-9249

Switch-to-Starter Cables

- 3/8" Lugs

Centre to Centre Dimension	Pack Size	6 Gauge Part No.	4 Gauge Part No.	1 Gauge Part No.
10"	1		84-9255	84-9505
14"	1	84-9383		
15"	1		84-9256	84-9262
18"	1	84-9384	84-9257	84-9382 NEW
19"	1			84-9388
24"	1	84-9385	84-9258	84-9506
25"	1			84-9263
30"	1		84-9504	
32"	1			84-9389
33"	1		84-9259	
33"	1 RED		84-9330	
34"	1	84-9386		
35"	1			84-9264
36"	1		84-9260	
40"	1	84-9387	84-9261	
43"	1		84-9393	
45"	1			84-9265
49"	1			84-9390
51"	1		84-9394	
60"	1		84-9395	84-9391
65"	1			84-9509
68"	1			84-9392



84-9256

BATTERY CABLES

CÂBLES DE BATTERIE • CABLES DE BATERÍAS

BATTERY CONNECTORS AND CABLE CONNECTEURS ET CÂBLES DE BATTERIE • TERMINALES Y CABLES PARA BATERIA



QuickLink® Stud Battery Harnesses

- Heavy 2/0 gauge copper welding cable is color-coded and rubber insulated; provides easier tight space routing and best cold weather flexibility
- Stackable die-cast copper lugs have 36 anti-rotational teeth for solid bite
- Made for truck, farm, construction and similar equipment applications
- Meets or exceeds SAE and OEM specifications
- Connected and protected with Magna Tube heat shrink tubing

Heavy Duty, 2/0 GA Battery Cables - Stud Battery Harnesses

Centre to Centre Dimension	Polarity	Typical Battery Layout	Pack Size	Part No.
8-1/2"	Negative	Side-By-Side	1	84-9304
8-1/2"	Positive	Side-By-Side	1	84-9305
17"	Negative	End-To-End	1	84-9306
17"	Positive	End-To-End	1	84-9307

Stud Batteries - Lug to Lug - Battery to Ground or Starter

Centre to Centre Dimension	Description		Pack Size	Part No.
10"	Lug to Lug	3/8" - 3/8"	1	84-9467
15"	Lug to Lug	3/8" - 3/8"	1	84-9470
20"	Lug to Lug	3/8" - 3/8"	1	84-9473

Battery Jumpers

- Designed for connection of 2 batteries to achieve additive voltage
- Premium quality synthetic rubber insulated copper welding cable enables easy routing & cold weather flexibility

Centre to Centre Dimension	Description	Pack Size	1 Gauge Part No.
8"	Top Post	1	84-9401
12"	Top Post	1	84-9402

Braided Ground Strap – Pre-Made Lengths

- 3/8" Clamp-to-Lug or Lug-to-Lug styles
- Light to medium duty, marine and automotive applications
- Corrosion resistant tin plating

Centre to Centre Dimension	Description	Pack Size	4 Gauge Part No.	2 Gauge Part No.
9"	Clamp to Lug	1		84-9239
9"	Lug to Lug	1	84-9577	
13"	Clamp to Lug	1		84-9240
13"	Lug to Lug	1	84-9559	
18"	Lug to Lug	1	84-9465	
19"	Clamp to Lug	1		84-9579
24"	Clamp to Lug	1		84-9464

Braided Ground Strap - Bulk

- Fine stranded copper conductor for maximum conductivity and flexibility

Description	Pack	Gauge Size	Part No.
Ground Strap	25'	2	84-9575


Battery Terminal Protectors

- Protects alternator and electrical system from shorts
- Reduces the risks of battery explosion caused by sparks
- High temperature PVC construction rated at 90°C (190°F)
- Color-coded for easy polarity identification
- Conforms to SAE J1128 dielectric specifications



Straight Clamp

Fits Gauges	Color	Pack	Part No.
1 & 2	Black	5	84-9140
1 & 2	Red	5	84-9141
1/0 & 2/0	Black	5	84-9142
1/0 & 2/0	Red	5	84-9143



Straight Clamp Snap on Feature

Fits Gauges	Color	Pack	Part No.
6 & 4	Black	5	84-9138
6 & 4	Red	5	84-9139
1 & 2	Black	5	84-9136
1 & 2	Red	5	84-9137



Automotive Lug

Fits Gauges	Color	Pack	Part No.
1 & 2	Black	5	84-9150
1 & 2	Red	5	84-9151
1/0 - 2/0	Black	5	84-9152
1/0 - 2/0	Red	5	84-9153



Tab Insulator

Fits Gauges	Terminal O.D.	Color	Pack	Part No.
8-2	0.73"	Red	5	84-9323
8-2	0.73"	Black	5	84-9324
2-2/0	1.03"	Red	5	84-9327
2-2/0	1.03"	Black	5	84-9328
3/0-4/0	1.37"	Red	5	84-9325
3/0-4/0	1.37"	Black	5	84-9326



Side Terminal Cover

Fits Gauges	Color	Pack	Part No.
8-1	Black	5	84-9591
8-1	Red	5	84-9592



HOLD-DOWNS AND BOXES

ANCRAGES ET BOÎTIERS POUR BATTERIE • SOPORTE PARA BATERIAS

BATTERY CONNECTORS AND CABLE CONNECTORS ET CÂBLES DE BATTERIE • TERMINALES Y CABLES PARA BATERIA



Battery Hold-Downs



- New telescoping design
- Fiberglass-reinforced polypropylene is rust and corrosion-proof
- Non-conductive – eliminates hold-down as source of shorts
- Car, truck, bus off-road, marine and recreational vehicle applications

Part No.	Description Extension	Min/Max Size	Pack
84-9288	Offset hold-down	5 1/2" - 9"	1
84-9320	Flush hold-down	8 5/8" - 14 3/4"	1
84-9480	Adjustable mount crossbar	6 7/8"	1



Hold Down Sets - L & J Style



- Long thread accommodates all crossbar/frame designs including QuickHold® products
- "L" and "J" style bend eliminates any need to shift or remove battery
- Sold as pair; hardware included
- Use with battery tray below

Part No.	Description	Length	Pack
84-9287	J bolt	8"	Pair
84-9286	J bolt	10"	Pair
84-9285	L bolt	10"	Pair



Battery Trays

- Drain slots prevent fluid accumulation
- Ideal replacement for OEM-style trays
- Vinyl coated steel resists corrosion & cold climate cracking
- Also fits group 1, 2, 17, 22, 23, 42, 54, 55, 56, 72 & 74 batteries

Part No.	Description	Pack
84-9481	11" for Group 24 size batteries	1
84-9629	GM base mount hold down	1



Battery Boxes

- Acid-proof seamless polyethylene construction keeps battery clean and dry; reduces short-circuit risk
- Molded lid permits cable clearance and provides heat dissipation
- Top vents prevent hydrogen gas build-up
- Grip handles enable easy transport; polypropylene tie-down strap secures box to compartment or floor
- Choose from group 24 or 27 sizes; fits 99% of all batteries
- Group 27 box features adjustable divider bracket to provide group 4, 29, 31, 53, 60 and 77 compatibility
- Complies with industry standards
- Comes with hold-down strap

Part No.	Description	Dimensions	Pack
84-9424	Group 24	13.25" w x 9" d x 10" h	1
84-9427	Group 27	15.25" w x 9" d x 10.25" h	1

Brute™ Hammer Crimper

- Inexpensive, simple crimping tool
- Use with hammer or vise
- Crimps 8- 4/0 gauge connectors
- Spring loaded pin locks in "up" position for loading connector and cable
- Pin is then released to hold connector securely during crimping
- 6 month limited warranty

Connector Cable Range	Part No.
8-4/0	84-9087



84-9087

Cub™ Crimper

- Light-medium duty applications
- Adjustable crimp dies crimp all major lugs, connectors and splices
- Insulated grips
- One year limited warranty

Overall Length	Connector Cable Range	Part No.
15"	8-1/0	84-9080



84-9082

84-9080

Hexcrimp™


- Medium-heavy duty applications
- Adjustable, color-coded rotating crimp dies
- Insulated grips
- Two year limited warranty
- Made in North America



Overall Length	Connector Cable Range	Part No.
26"	8ga.-250mcm	84-9082
Hexcrimp replacement - dies and hardware		84-9084

Heavy Duty Rotary Cable Slitter/Stripper Tool

- Slits & strips round battery & trailer cables
- Self-adjusting cutting depth
- Makes a clean strip without damaging wire strands
- Blade swivels for longitudinal/spiral cuts
- Ergonomic design



BEFORE

AFTER

83-6515

9" Cable Cutter

- Cuts cable up to 2/0 gauge
- Fits any toolbox
- Forged steel with insulated grips
- 6 month limited warranty



Overall Length	Connector Cable Range	Part No.
9"	up to 2/0	84-9088



83-6515

84-9088

Quick Cutter™ 2

- Cuts cable up to 250 MCM (6/0 gauge)
- 22" handle for easier cutting
- 6 month limited warranty
- Made in North America
- 1075 carbon steel blade, hardened for long life, can be sharpened
- Bench mount available as special request

Overall Length	Connector Cable Range	Part No.
22"	up to 250 MCM (6/0 gauge)	84-9089



84-9089

FIELD REPAIR KIT

TROUSSE POUR RÉPARATION SUR PLACE • CAJA DE HERRAMIENTAS Y ACCESORIOS PARA REPARACIONES



84-9290

Field Repair Kit with HexCrimp™

- Contains components (except cable) needed to build or repair 2/0 battery cables
- The carrying case is made of steel, finished in corrosion resistant baked grey enamel

Part No.	Description	Re-Order Part No.
84-9290	Field Repair Kit- Includes:	
	1 HexCrimp™ Tool – 8 gauge - 250 mcm	84-9082
	1 9" Cutter – up to 2/0 cables	84-9088
	5 2/0 straight clamp - positive	84-9059
	5 2/0 straight clamp - negative	84-9058
	2 2/0 flag clamp - positive	84-9098
	2 2/0 flag clamp - negative	84-9097
	5 2/0 starter/ground lug - 3/8" hole	84-9110
	5 2/0 starter/ground lug - 1/2" hole	84-9111
	5 Terminal Protector straight - black	84-9142
	5 Terminal Protector straight - red	84-9143
	2 Terminal Protector flag - black	84-9144
	2 Terminal Protector flag - red	84-9145
	2 3/4" Heat shrink tubing 6" – Black 3:1	84-4003
	2 3/4" Heat shrink tubing 6" – Red 3:1	84-6103