








TRAILER AXLE SPINDLE HARDWARE




FRUEHAUF "PRO-PAR" AXLE AND MERITOR EARLY MODEL TP AXLE

	PART NO.	DESCRIPTION	REPLACES	ACROSS FLATS	THREAD SIZE	THICK	WASHERS		PIN	
							O.D.	I.D.	DIA.	LGTH
	R001561	Lockwasher	12402, 42203, 5402, 65463, E1561, L1893, L893, M1051			7/32"	5-1/16"	3-1/2"		
	R002550	Spindle Nut	12400, 42202, 5401, 66101, E2550, L1395, M1050, M1996	4-3/4"	3-1/2"-12	1-1/8"				

MERITOR RL, RN, RO, TK, TKL, TKN AXLES - "POSITIVE" ADJUSTMENT

	PART NO.	DESCRIPTION	REPLACES	ACROSS FLATS	THREAD SIZE	THICKNESS	WASHERS	
							O.D.	I.D.
	R003010	Tab Lock Washer	E3010, M2568			1/16"	4"	2-13/32"
	R001252	Lockwasher	12397, 42199, 66122, E1252, L1026, L843, M839			1/4"	3-13/16"	2-13/32"
	R001251	Outer Nut	12398, 42198, 66121, E1251, L840, M840	3-1/4"	2-3/8"-16	3/8"		
	1227-B-678	Wheel Bearing Nut	12396, 38078, 42201, 66123, E1253, L2099, L842, M838	3-13/16"	2-3/8"-16	1/2"		
	R002128 ¹	Nut	12399, 42200, 66125, E2128, L1025, M846	3-13/16"	2-3/8"-16	1/2"		





MERITOR TN, TQ AXLES - "MANUAL" ADJUSTMENT

	PART NO.	DESCRIPTION	REPLACES	ACROSS FLATS	THREAD SIZE	THICKNESS	WASHERS	
							O.D.	I.D.
	R000573 ²	Lockwasher	10287, 105107, 12392, 42195, 5300, 66115, 820396, E573, F1531, F942, L177, M10HN100, M2567, M683			1/4"	3-15/16"	2-41/64"
	R000572	Outer Nut	10286, 103102001, 10408, 12393, 42194, 5200, 66114, 820395, E572, F1530, F941, L178, M10HN102, M684	3-1/4"	2-5/8"-16	3/8"		
	R000540	Inner Nut	038540, 10284, 103103002, 10406, 12391, 12407, 42196, 5210, 66117, 820394, E540, F1529, F940, L176, M10HN101, M2200, M682	3-13/16"	2-5/8"-16	3/8"		




¹ Use in place of 1227-B-678 to convert to "manual" adjustment. ² Includes set screw 1199-K-3859.

TRAILER AXLE SPINDLE HARDWARE




MERITOR TN, TQ AXLES - "POSITIVE" ADJUSTMENT

	PART NO.	DESCRIPTION	REPLACES	ACROSS FLATS	THREAD SIZE	THICKNESS	WASHERS	
							O.D.	I.D.
	A-1229-X-2546 ²	Lock Washer Assembly	E7663, L3236			15/64"	3-7/8"	2-25/64"
	R001251	Outer Nut	12398, 42198, 66121, E1251, L840, M840	3-1/4"	2-3/8"-16	3/8"		
	1227-B-678	Wheel Bearing Nut	12396, 38078, 42201, 66123, E1253, L2099, L842, M838	3-13/16"	2-3/8"-16	1/2"		
	R002128 ¹	Nut	12399, 42200, 66125, E2128, L1025, M846	3-13/16"	2-3/8"-16	1/2"		

MERITOR TP AXLE - "MANUAL" ADJUSTMENT

	PART NO.	DESCRIPTION	REPLACES	ACROSS FLATS	THREAD SIZE	THICKNESS	WASHERS	
							O.D.	I.D.
	R007665	Washer				7/32"	5-1/16"	3-1/2"
	R007666	Spindle Nut		4-3/8"	3-1/2"-12	3/8"		
	R007664	Spindle Nut		4-27/32"	3-1/2"-12	3/8"		

MERITOR TP AXLE - "POSITIVE" ADJUSTMENT



	PART NO.	DESCRIPTION	REPLACES	ACROSS FLATS	THREAD SIZE	THICKNESS	WASHERS	
							O.D.	I.D.
	A-1229-S-4179 ⁶	Lock Washer Assembly	E7660			15/64"	4-3/4"	3-19/64"
	1229-Y-3119	Lockwasher	E7659, L3216			1/4"	5-3/64"	3-19/64"
	1227-R-1240 ³	Inner Wheel Bearing Nut	E7658, L3214	4"	3-1/4"-12	3/8"		

1 Use in place of 1227-B-678 to convert to "manual" adjustment.
 3 Use R002303 & A-1229-S-1479 together to convert to "manual" adjustment.




2 Includes set screw 1199-K-3859.
 6 Includes set screw 26-X-1002.

TRAILER AXLE SPINDLE HARDWARE






MERITOR TP AXLE - "POSITIVE" ADJUSTMENT

	PART NO.	DESCRIPTION	REPLACES	ACROSS FLATS	THREAD SIZE	THICKNESS	WASHERS	
							O.D.	I.D.
	R002303	Inner Nut	119883, 12417, 42222, 66224, E2303, L1355, M1980	4"	3-1/4"-12	3/8"		
	R002305	Outer Nut	119881, 12419, 42223, 66226, E2305, L1353, M1978	4"	3-1/4"-12	3/8"		

MERITOR TR AXLE

	PART NO.	DESCRIPTION	REPLACES	ACROSS FLATS	THREAD SIZE	THICKNESS	WASHERS	
							O.D.	I.D.
	A-1229-S-4179 ⁶	Lock Washer Assembly	E7660			15/64"	4-3/4"	3-19/64"
	R002303	Inner Nut	119883, 12417, 42222, 66224, E2303, L1355, M1980	4"	3-1/4"-12	3/8"		
	R002305	Outer Nut	119881, 12419, 42223, 66226, E2305, L1353, M1978	4"	3-1/4"-12	3/8"		

MERITOR, EATON, KERSHAW & STD. FORGE 17,000 & 18,000 LB. TRADE AXLES




	PART NO.	DESCRIPTION	REPLACES	ACROSS FLATS	THREAD SIZE	THICKNESS	WASHERS		TAB LENGTH
							O.D.	I.D.	
	R003009	Tab Lock Washer	E3009			1/16"	4-1/32"	2-41/64"	3/32"
	R002237	Tab Lock Washer	105106, 12394, 42197, 5660, E2237, L1327, M1068, M10HN151			1/16"	4-1/32"	2-41/64"	5/32"
	R000573 ²	Lockwasher	10287, 105107, 12392, 42195, 5300, 66115, 820396, E573, F1531, F942, L177, M10HN100, M2567, M683			1/4"	3-15/16"	2-41/64"	
	R000572	Outer Nut	10286, 103102001, 10408, 12393, 42194, 5200, 66114, 820395, E572, F1530, F941, L178, M10HN102, M684	3-1/4"	2-5/8"-16	3/8"			
	R000540	Inner Nut	038540, 10284, 103103002, 10406, 12391, 12407, 42196, 5210, 66117, 820394, E540, F1529, F940, L176, M10HN101, M2200, M682	3-13/16"	2-5/8"-16	3/8"			

2 Includes set screw 1199-K-3859.





6 Includes set screw 26-X-1002.

TRAILER AXLE SPINDLE HARDWARE

MERITOR, SPICER & STD. FORGE 11,000 LB. AXLES

	PART NO.	DESCRIPTION	REPLACES	ACROSS FLATS	THREAD SIZE	THICKNESS	WASHERS	
							O.D.	I.D.
	R001000	Washer				1/16"	2-7/8"	1.50" x 1.38" "D" Hole
	R001001	Washer				1/8"	2-1/4"	1.50" x 1.38" "D" Hole
	R001087	Nut	103105, E1087, L1328, M10HN128	2-1/4"	1-1/2"-12	9/32"		



SPICER D21 & D22 AND STD. FORGE A25 & A26 AXLES

	PART NO.	DESCRIPTION	REPLACES	ACROSS FLATS	THREAD SIZE	THICKNESS	WASHERS	
							O.D.	I.D.
	R000573 ²	Lockwasher	10287, 105107, 12392, 42195, 5300, 66115, 820396, E573, F1531, F942, L177, M10HN100, M2567, M683			1/4"	3-15/16"	2-41/64"
	R002237	Tab Lock Washer	105106, 12394, 42197, 5660, E2237, L1327, M1068, M10HN151			1/16"	4-1/32"	2-41/64"
	R000572	Outer Nut	10286, 103102001, 10408, 12393, 42194, 5200, 66114, 820395, E572, F1530, F941, L178, M10HN102, M684	3-1/4"	2-5/8"-16	3/8"		
	R000540	Inner Nut	038540, 10284, 103103002, 10406, 12391, 12407, 42196, 5210, 66117, 820394, E540, F1529, F940, L176, M10HN101, M2200, M682	3-13/16"	2-5/8"-16	3/8"		

STEERING AXLE SPINDLE HARDWARE

For Light, Medium and Heavy Duty Trucks

CHEVROLET & GMC F050, F055


	PART NO.	DESCRIPTION	REPLACES	ACROSS FLATS	THREAD SIZE	THICKNESS	WASHERS	
							O.D.	I.D.
	R004874	Washer	E4874, L2581			9/64"	2-1/2"	7/8"
	R004849	Spindle Nut	E4849, L2580	1-1/4"	7/8"-20	13/16"		

² Includes set screw 1199-K-3859.



STEERING AXLE SPINDLE HARDWARE

For Light, Medium and Heavy Duty Trucks



CHEVROLET & GMC F070

	PART NO.	DESCRIPTION	REPLACES	ACROSS FLATS	THREAD SIZE	THICKNESS	WASHERS	
							O.D.	I.D.
	R004854	Spindle Nut	E4854, L2590	1-5/8"	1-1/8"-16	3/4"		



CHEVROLET & GMC G30, P30, G3500

	PART NO.	DESCRIPTION	REPLACES	ACROSS FLATS	THREAD SIZE	THICKNESS	WASHERS	
							O.D.	I.D.
	R004879	Washer	E4879, L2622			1/8"	2-1/4"	7/8"
	R004865	Spindle Nut	E4865, L2621	1-1/4"	27/32"-20	9/16"		



FORD 5,000 LB. FRONT AXLE

	PART NO.	DESCRIPTION	REPLACES	ACROSS FLATS	THREAD SIZE	THICKNESS	WASHERS	
							O.D.	I.D.
	R004867	Washer	E4867, L2585			5/32"	2-3/4"	1"
	R004859	Spindle Nut	E4859	1-7/16"	1"-14	5/8"		

FORD 6,000 LB. FRONT AXLE

	PART NO.	DESCRIPTION	REPLACES	ACROSS FLATS	THREAD SIZE	THICKNESS	WASHERS	
							O.D.	I.D.
	R004869	Washer	E4869, L2615			3/16"	3"	1-1/2"
	R004861	Spindle Nut	E4861, L2614	2-1/4"	1-1/2"-18	7/8"		




MACK FRONT AXLES

	PART NO.	DESCRIPTION	REPLACES	ACROSS FLATS	THREAD SIZE	THICKNESS	WASHERS	
							O.D.	I.D.
	R003502	Washer	12454, E3502, M2574			1/8"	3"	
	R003501	Spindle Nut	12453, E3501, M2573	2-5/8"	1-5/8"-12	3/8"		




STEERING AXLE SPINDLE HARDWARE

For Light, Medium and Heavy Duty Trucks



NAVISTAR 02109 (DANA FA109) 9,000 LBS.
 NAVISTAR 02139 (DANA FA139) 12,000 LBS.
 NAVISTAR 02309 (DANA I-90) 9,000 LBS.
 NAVISTAR 02329 (DANA I-108) 10,800 LBS.

	PART NO.	DESCRIPTION	REPLACES	ACROSS FLATS	THREAD SIZE	THICKNESS	WASHERS	
							O.D.	I.D.
	R004871	Lockwasher	E4871, L2593, L2594, M3288			3/32"	3-7/16"	2-3/32"
	R006138	Washer	E6138, L3210, M3298			1/4"	3-3/4"	2-3/32"
	R004855	Inner-Outer Nut	E4855, L2592	2-7/8"	2-1/16"-16	3/8"		

NAVISTAR 02109 (DANA FA109) 9,000 LBS.
 NAVISTAR 02139 (DANA FA139) 12,000 LBS.
 NAVISTAR 02309 (DANA I-90) 9,000 LBS.
 NAVISTAR 02329 (DANA I-108) 10,800 LBS.

	PART NO.	DESCRIPTION	REPLACES	ACROSS FLATS	THREAD SIZE	THICKNESS	WASHERS	
							O.D.	I.D.
	R004871	Lockwasher	E4871, L2593, L2594, M3288			3/32"	3-7/16"	2-3/32"
	R006139	Washer	E6139, L3209, M3299			1/4"	4-1/8"	2-3/32"
	R004855	Inner-Outer Nut	E4855, L2592	2-7/8"	2-1/16"-16	3/8"		


NAVISTAR FA48

	PART NO.	DESCRIPTION	REPLACES	ACROSS FLATS	THREAD SIZE	THICKNESS	WASHERS	
							O.D.	I.D.
	R004875	Washer	E4875			13/64"	2-1/8"	1"
	R004850	Spindle Nut	E4850	1-1/4"	7/8"-14	3/4"		



STEERING AXLE SPINDLE HARDWARE

For Light, Medium and Heavy Duty Trucks



NAVISTAR FA68, FA72

	PART NO.	DESCRIPTION	REPLACES	ACROSS FLATS	THREAD SIZE	THICKNESS	WASHERS	
							O.D.	I.D.
	R004851	Spindle Nut	E4851, L2584	1-1/2"	1"-14	7/8"		





NAVISTAR FA70, FA89, FA91, FA98

	PART NO.	DESCRIPTION	REPLACES	ACROSS FLATS	THREAD SIZE	THICKNESS	WASHERS	
							O.D.	I.D.
	R004868	Washer	E4868, L2589			5/32"	2-5/8"	1-1/8"
	R004853	Spindle Nut	E4853, L2588	1-5/8"	1-1/8"-12	3/4"		

NAVISTAR FA71, FA73, FA101

	PART NO.	DESCRIPTION	REPLACES	ACROSS FLATS	THREAD SIZE	THICKNESS	WASHERS	
							O.D.	I.D.
	R004870	Washer	E4870, L2587			3/4"	2-1/32"	1-1/8"
	R004852	Spindle Nut	E4852, L2586	1-5/8"	1-1/8"-12	1/2"		




MERITOR FD-900, FD-901, FE-900, FF-901, FF931 AXLES

	PART NO.	DESCRIPTION	REPLACES	ACROSS FLATS	THREAD SIZE	THICKNESS	WASHERS	
							O.D.	I.D.
	R002298	Washer	12425, 42208, 66144, E2298, L1332, M1957			3/64"	3"	1-33/64"
	R002297	Lockwasher	12424, 42207, 66143, E2297, L1333, M1958			3/16"	2-3/4"	1-17/32"
	R002296	Outer Nut	12426, 42206, 66145, E2296, L1331, M1956	2-1/4"	1-1/2"-12	7/16"		
	R002299	Inner Nut	12423, 42205, E2299, L1334, M1959	2-5/8"	1-1/2"-12	3/8"		





STEERING AXLE SPINDLE HARDWARE

For Light, Medium and Heavy Duty Trucks




MERITOR FE-970 AND "E" SERIES DRIVE AXLES

	PART NO.	DESCRIPTION	REPLACES	ACROSS FLATS	THREAD SIZE	THICKNESS	WASHERS	
							O.D.	I.D.
	R002301	Lock Ring	12428, 42210, 66155, E2301, L1336, M1961			1/16"	3-5/16"	2-1/4"
	R002302	Flat Washer				1/4"	4-5/16"	2-1/4"
	R002300	Nut		2-7/8"	2-1/4"-16	5/16"		

MERITOR FG-900 AXLE

	PART NO.	DESCRIPTION	REPLACES	ACROSS FLATS	THREAD SIZE	THICKNESS	WASHERS	
							O.D.	I.D.
	R002659 ⁴	Flat Washer	E2659			1/32"	3-1/4"	1-25/32"
	R002660 ⁴	Lock Ring	E2660			7/32"	3-1/4"	1-25/32"
	R003510	Inner Nut			1-3/4"-12	1/2"	3-5/16"	
	R002658 ⁴	Nut		2-1/2"	1-3/4"-12	11/16"		

MERITOR 16,000 LB. AXLE


	PART NO.	DESCRIPTION	REPLACES	ACROSS FLATS	THREAD SIZE	THICKNESS	WASHERS	
							O.D.	I.D.
	R002659 ⁴	Flat Washer	E2659			1/32"	3-1/4"	1-25/32"
	R002660 ⁴	Lock Ring	E2660			7/32"	3-1/4"	1-25/32"
	R002658 ⁴	Nut		2-1/2"	1-3/4"-12	11/16"		

⁴ Service with KIT 1416.






STEERING AXLE SPINDLE HARDWARE

For Light, Medium and Heavy Duty Trucks

MERITOR 16,000 LB. AXLE

	PART NO.	DESCRIPTION	REPLACES	ACROSS FLATS	THREAD SIZE	THICKNESS	WASHERS	
							O.D.	I.D.
	1227-S-1527 ⁴	Wheel Bearing Nut		3-7/8"	1-3/4"-12	1/2"		



MERITOR FH-901, FL-901, FL-931 AXLES

	PART NO.	DESCRIPTION	REPLACES	ACROSS FLATS	THREAD SIZE	THICKNESS	WASHERS	
							O.D.	I.D.
	R002659 ⁴	Flat Washer	E2659			1/32"	3-1/4"	1-25/32"
	R002660 ⁴	Lock Ring	E2660			7/32"	3-1/4"	1-25/32"
	R002663	Flat Washer				1/4"	4-1/8"	1-25/32"
	R002658 ⁴	Nut		2-1/2"	1-3/4"-12	11/16"		
	1227-S-1527 ⁴	Wheel Bearing Nut		3-7/8"	1-3/4"-12	1/2"		


DRIVE AXLE SPINDLE HARDWARE

For Light, Medium and Heavy Duty Trucks

CHEVROLET & GMC H150

	PART NO.	DESCRIPTION	REPLACES	ACROSS FLATS	THREAD SIZE	THICKNESS	WASHERS	
							O.D.	I.D.
	R004873	Washer	E4873, L2595			1/16"	3-1/8"	2-1/8"
	R004856	Spindle Nut	E4856	2-7/8"	2-1/8"-16	3/8"		

CHEVROLET & GMC T150 & T170


	PART NO.	DESCRIPTION	REPLACES	ACROSS FLATS	THREAD SIZE	THICKNESS	WASHERS	
							O.D.	I.D.
	R004876	Lockwasher	E4876, L2602			3/8"	3-7/8"	2-1/2"

⁴ Service with KIT 1416.




DRIVE AXLE SPINDLE HARDWARE

For Light, Medium and Heavy Duty Trucks




CHEVROLET & GMC T150 & T170

	PART NO.	DESCRIPTION	REPLACES	ACROSS FLATS	THREAD SIZE	THICKNESS	WASHERS	
							O.D.	I.D.
	R004858	Spindle Nut	E4858, L2601	3-5/8"	2-1/2"-16	3/8"		



EATON 32M-MR, -34M, -MF, 34D-DT-RT, 17800-17801 SERIES AXLES

	PART NO.	DESCRIPTION	REPLACES	ACROSS FLATS	THREAD SIZE	THICKNESS	WASHERS	
							O.D.	I.D.
	R002461	Lockwasher	06471, 12435, 30714, 42228, E2461, L1360, M1985			1/8"	4"	2-5/8"
	R002460	Spindle Nut	120257, 12436, 34090, E2460, L1359, M1984	3-3/8"	2-5/8"-12	1"		
	R002462	Outer Nut	12434, 19186, 42226, 42227, E2462, L1361, M1986	3-7/16"	2-5/8"-12	15/32"		

EATON 38R3, RP-RT, 42R3-RP-RT, 18800, 18801-02-03 SERIES AXLES

	PART NO.	DESCRIPTION	REPLACES	ACROSS FLATS	THREAD SIZE	THICKNESS	WASHERS	
							O.D.	I.D.
	R002464	Lockwasher	12438, 42231, 90180, E2464, L1363, M1988			1/8"	4-1/2"	3"
	R002465	Spindle Nut	120622, 12437, 90229, E2465, L1364, M1989	3-13/16"	3"-12	3/8"		
	R002463	Spindle Nut	121353, 12439, 31926, E2463, L1362, M1987	3-13/16"	3"-12	1"		




EATON 32M-MR, -34M, -MF, 34D-DT-RT, 17800-17801 SERIES AXLES

	PART NO.	DESCRIPTION	REPLACES	ACROSS FLATS	THREAD SIZE	THICKNESS	WASHERS	
							O.D.	I.D.
	R002467	Lockwasher	11245, 12441, 42234, E2467, L1366, M1991			1/8"	4-3/4"	3-1/4"
	R002468	Inner Nut	11249, 12440, 42233, E2468, L1367, M1992	4-1/8"	3-1/4"-12	1/2"		


DRIVE AXLE SPINDLE HARDWARE

For Light, Medium and Heavy Duty Trucks





FORD 15,000 LB. REAR AXLE

	PART NO.	DESCRIPTION	REPLACES	ACROSS FLATS	THREAD SIZE	THICKNESS	WASHERS	
							O.D.	I.D.
	R004878	Lockwasher	E4878			1/16"	3"	2"
	R004862	Spindle Nut	E4862, L2616	2-9/16"	2"-16	5/16"		
	R004863	Outer Nut	E4863, L2618	2-9/16"	2"-16	2-1/32"		



FORD 17,500 LB. REAR AXLE

	PART NO.	DESCRIPTION	REPLACES	ACROSS FLATS	THREAD SIZE	THICKNESS	WASHERS	
							O.D.	I.D.
	R004864	Spindle Nut	E4864, L2619	3-1/2"	2-1/2"-16	3/8"		

FORD 18,000 LB. REAR AXLE

	PART NO.	DESCRIPTION	REPLACES	ACROSS FLATS	THREAD SIZE	THICKNESS	WASHERS	
							O.D.	I.D.
	R002461	Lockwasher	06471, 12435, 30714, 42228, E2461, L1360, M1985			1/8"	4"	2-5/8"
	R000573 ²	Lockwasher	10287, 105107, 12392, 42195, 5300, 66115, 820396, E573, F1531, F942, L177, M10HN100, M2567, M683			1/4"	3-15/16"	2-41/64"
	R002462	Outer Nut	12434, 19186, 42226, 42227, E2462, L1361, M1986	3-7/16"	2-5/8"-12	15/32"		
	R006142	Nut		3-1/2"	2-5/8"-12	3/8"		

MACK 50,000 LB.


	PART NO.	DESCRIPTION	REPLACES	ACROSS FLATS	THREAD SIZE	THICKNESS	WASHERS	
							O.D.	I.D.
	R002304	Lockwasher	119882, 12418, 42224, 66225, E2304, L1354, M1979			7/32"	4-11/32"	3-9/32"
	R002303	Inner Nut	119883, 12417, 42222, 66224, E2303, L1355, M1980	4"	3-1/4"-12	3/8"		

² Includes set screw 1199-K-3859.

DRIVE AXLE SPINDLE HARDWARE





For Light, Medium and Heavy Duty Trucks

MACK 50,000 LB.





	PART NO.	DESCRIPTION	REPLACES	ACROSS FLATS	THREAD SIZE	THICKNESS	WASHERS	
							O.D.	I.D.
	R002305	Outer Nut	119881, 12419, 42223, 66226, E2305, L1353, M1978	4"	3-1/4"-12	3/8"		

MACK 55,000, 58,000, 65,000 LB.

SW-50C, SW-55C, SW-58C, SW-65C, S-50C, S-55C, S-58C, S-65C

	PART NO.	DESCRIPTION	REPLACES	ACROSS FLATS	THREAD SIZE	THICKNESS	WASHERS	
							O.D.	I.D.
	R006146	Washer	E6146			1/4"	5-1/4"	3-9/16"
	R006148	Spindle Nut	E6148			1/4"	6-3/8"	4"
	R006145	Spindle Nut	E6145	5-1/4"	3-9/16"-12	1/2"		
	R006147	Washer	E6147	5-1/4"	3-9/16"-12	1/2"		




MACK SW-56C SERIES AXLE

	PART NO.	DESCRIPTION	REPLACES	ACROSS FLATS	THREAD SIZE	THICKNESS	WASHERS	
							O.D.	I.D.
	R003505	Washer	12444, E3505, L2375, M1998			5/32"	4-7/16"	2-57/64"
	R006144	Washer	E6144			1/4"	4-1/8"	3-1/4"
	R003504	Spindle Nut	12443, E3504, L2376, M1999	4-1/8"	2-7/8"-12	3/8"		
	R003506	Spindle Nut	12445, E3506, L2378, M1997	4-1/8"	2-7/8"-12	3/8"		

DRIVE AXLE SPINDLE HARDWARE

For Light, Medium and Heavy Duty Trucks

MACK SW-57C SERIES AXLES



	PART NO.	DESCRIPTION	REPLACES	ACROSS FLATS	THREAD SIZE	THICKNESS	WASHERS	
							O.D.	I.D.
	R003508	Washer	12451, E3508, L2373, M2202			1/4"	4-7/16"	2-61/64"
	R003507	Spindle Nut	12450, E3507, L2374, M2203	4-1/8"	2-15/16"-12	3/8"		
	R003509	Spindle Nut	12452, E3509, L2377, M2201	4-1/8"	2-15/16"-12	3/8"		

NAVISTAR 14039 (INTERNATIONAL/DANA F170S) 17,000 LBS.

NAVISTAR 14042 (INTERNATIONAL/DANA J175S) 17,500 LBS.

NAVISTAR 14199 (EATON 16244) 17,500 LBS.



NAVISTAR 14341 (INTERNATIONAL/DANA RA341) 30,000 LBS.

	PART NO.	DESCRIPTION	REPLACES	ACROSS FLATS	THREAD SIZE	THICKNESS	WASHERS	
							O.D.	I.D.
	R004881	Lockwasher	E4881, L2600, M3291			1/8"	3-3/4"	2-17/32"
	R004857	Inner-Outer Nut	E4857, L2599, M3296	3-1/4"	2-1/2"-12	11/32"		

NAVISTAR 14044 (INTERNATIONAL/DANA J190S) 19,000 LBS.

NAVISTAR 14186 (EATON 17202/22) 19,000 LBS.



NAVISTAR 14351 (INTERNATIONAL/DANA G340S) 34,000 LBS.

	PART NO.	DESCRIPTION	REPLACES	ACROSS FLATS	THREAD SIZE	THICKNESS	WASHERS	
							O.D.	I.D.
	R004877	Lockwasher	E4877, L2604			1/8"	4-1/16"	2-5/8"
	R002462	Outer Nut	12434, 19186, 42226, 42227, E2462, L1361, M1986	3-7/16"	2-5/8"-12	15/32"		




DRIVE AXLE SPINDLE HARDWARE

For Light, Medium and Heavy Duty Trucks




NAVISTAR 14308 (EATON DS402P)	40,000 LBS.
NAVISTAR 14309 (EATON RT402)	40,000 LBS.
NAVISTAR 14342, 14464 (EATON DT401P)	40,000 LBS.
NAVISTAR 14311 (EATON RS460/461)	46,000 LBS.
NAVISTAR 14364 (EATON RS401)	40,000 LBS.
NAVISTAR 14493 (EATON RS341)	34,000 LBS.
NAVISTAR 14494 (EATON RS381/402)	38,000 LBS.
NAVISTAR 14277 (MERITOR U240)	29,000 LBS.
NAVISTAR 14348 (MERITOR SQHD)	38,000 LBS.
NAVISTAR 14338, 14336 (MERITOR SRDD)	44,000 LBS.
NAVISTAR 14368 (MERITOR STDD)	50,000 LBS.

	PART NO.	DESCRIPTION	REPLACES	ACROSS FLATS	THREAD SIZE	THICKNESS	WASHERS	
							O.D.	I.D.
	R006141	Lockwasher	E6141, L3212, M3393			1/8"	4-3/4"	3-1/4"
	1227-V-464	Wheel Bearing Nut	E6140, L3211, M3390	4-1/8"	3-1/4"-12	3/8"		

MERITOR "F" SERIES AXLES

	PART NO.	DESCRIPTION	REPLACES	ACROSS FLATS	THREAD SIZE	THICKNESS	WASHERS	
							O.D.	I.D.
	R002418	Lockwasher	M1970			5/32"	3-3/4"	2-1/2"
	R002419	Nut	M1969	3-1/2"	2-1/2"-16	5/16"		
	R002417	Nut	M1971	3-1/2"	2-1/2"-16	5/16"		

MERITOR "H" SERIES AXLES

	PART NO.	DESCRIPTION	REPLACES	ACROSS FLATS	THREAD SIZE	THICKNESS	WASHERS	
							O.D.	I.D.
	1229-J-4638 ⁵	Lock Washer				3/64"	4-3/16"	2-5/8"
	1229-G-1021 ⁵	Lockwasher	12412, 38095, 42218, 66197, E2421, L1348, M1973			3/16"	3-3/4"	2-5/8"
	R002420	Nut		3-1/2"	2-5/8"-16	5/16"		

⁵ Not sold separately. Must service with KIT 2761.

DRIVE AXLE SPINDLE HARDWARE





For Light, Medium and Heavy Duty Trucks

MERITOR "H" SERIES AXLES




	PART NO.	DESCRIPTION	REPLACES	ACROSS FLATS	THREAD SIZE	THICKNESS	WASHERS	
							O.D.	I.D.
	R002422	Nut		3-1/2"	2-5/8"-16	5/16"		

MERITOR SPECIAL "H" SERIES AXLES


H-145, H-162, H-172, H-240, H-262, H-362, H-350

	PART NO.	DESCRIPTION	REPLACES	ACROSS FLATS	THREAD SIZE	THICKNESS	WASHERS	
							O.D.	I.D.
	1229-J-4638 ⁵	Lock Washer				3/64"	4-3/16"	2-5/8"
	1229-G-1021 ⁵	Lockwasher	12412, 38095, 42218, 66197, E2421, L1348, M1973			3/16"	3-3/4"	2-5/8"
	R002462	Outer Nut	12434, 19186, 42226, 42227, E2462, L1361, M1986	3-7/16"	2-5/8"-12	15/32"		
	R006142	Nut		3-1/2"	2-5/8"-12	3/8"		

MERITOR "L" SERIES AXLES

	PART NO.	DESCRIPTION	REPLACES	ACROSS FLATS	THREAD SIZE	THICKNESS	WASHERS	
							O.D.	I.D.
	R002424	Lockwasher	12415, 38098, 42221, L1351, M1976			3/8"	4-1/4"	3"
	R002423	Nut		4"	3"-12	3/8"		
	R002425	Nut		4"	3"-12	3/8"		



MERITOR "Q" & "R" SERIES AXLES FOR SQHD & R170 DRIVE AXLES

	PART NO.	DESCRIPTION	REPLACES	ACROSS FLATS	THREAD SIZE	THICKNESS	WASHERS	
							O.D.	I.D.
	R002304	Lockwasher	119882, 12418, 42224, 66225, E2304, L1354, M1979			7/32"	4-11/32"	3-9/32"

DRIVE AXLE SPINDLE HARDWARE

For Light, Medium and Heavy Duty Trucks

MERITOR "Q" & "R" SERIES AXLES FOR SQHD & R170 DRIVE AXLES

	PART NO.	DESCRIPTION	REPLACES	ACROSS FLATS	THREAD SIZE	THICKNESS	WASHERS	
							O.D.	I.D.
	R002303	Inner Nut	119883, 12417, 42222, 66224, E2303, L1355, M1980	4"	3-1/4"-12	3/8"		
	R002305	Outer Nut	119881, 12419, 42223, 66226, E2305, L1353, M1978	4"	3-1/4"-12	3/8"		

FLEET VEHICLE MAINTENANCE COMPONENTS

The Meritor Brand offers Genuine OEM Vehicle production as well as "All-Makes" Aftermarket Maintenance Components for these vehicle systems:

DRIVE AXLE PRODUCTS

- New Carriers
- Reman Carriers
- Rebuild Kits
- Gear Sets
- Seals & Bearings

BRAKE PRODUCTS

- New Lined Brake Shoes
- Reman Brake Shoes
- Friction Materials
- Camshafts
- Air Drum Brake Components & Kits
- Air Disc Pads & Components
- Hydraulic Disc Pads
- Calipers & Wheel Cylinders
- Hydraulic Drum & Disc Brake Components
- Automatic & Manual Slack Adjusters
- Brake & Camshaft Repair Kits

WHEEL END PRODUCTS

- Cast Brake Drums
- X-30 Steelite Brake Drums
- Hubs & Spoke Wheels
- Rotors - Air & Hydraulic Disc
- Wheel Attaching Components
- Seals & Bearings

ABS & AIR SYSTEM PRODUCTS

- Air Dryers & Cartridges
- Air Valves
- Wheel Sensors & Tone Rings
- Wire Harnesses & Electronic Control Units (ECU)

TRAILER PRODUCTS

- Axle Tubes
- "Dressed" Axles
- Meritor Tire Inflation System (MTIS)

DRIVELINE PRODUCTS

- Universal Joints
- Center Bearings
- End, Slip & Weld Yokes
- Tubing
- Spline Plugs
- Bearing Stubs
- RPL Driveline
- C.V. / P.T.O. Components

FRONT DRIVE & NON-DRIVE AXLE PRODUCTS

- Steering Knuckles
- King Pin Kits
- Tie Rod & Drag Link Ends
- Drag Links
- Steering & Tie Rod Arms
- Beams

SUSPENSION PRODUCTS

- Air Springs
- Equalizers, Hangers, Beams
- Bushings & Hardware
- Speciality Polyurethane Components
- Torque Rods
- U-Bolts
- Gabriel®** Shock Absorbers

CLUTCHES - CLASS 8 TRUCKS

- New & Reman Product
- LTD Applications
- AutoJust™
- Lite Pedal


TRANSMISSION PRODUCTS


- Reman Units
- Transmission Components & Kits


OTHER PRODUCTS


- Fras-Le Brand Brake Block & Lining

RIM CLAMPS

	PART NO.	REPLACES	HEIGHT	WIDTH	HOLE SIZE	OFFSET
	R005780 ¹	521445, E5780, M1178, W539	1-7/8"	1-3/4"	5/8"	1/2"


	PART NO.	REPLACES	HEIGHT	WIDTH	HOLE SIZE	OFFSET	THICK-NESS
	R006054G		3-13/32"	2-1/16"	3/4"	21/32"	1-1/4"

	PART NO.	REPLACES	HEIGHT	WIDTH	HOLE SIZE	OFFSET	SPACER WIDTH
	R005840	521320, E5840	2-7/16"	2-13/16"	3/4"	1-1/16"	
	R005772	521328, E5772, M1174, W569	2-7/16"	3"	5/8"	1-1/8"	
	R005047	09717510, 521321, E5047, M6, W118	2-1/2"	3-1/8"	5/8"	1-1/16"	4"
	R005046	09717110, 521320, E5046, M5, W117, W145	2-1/2"	3-1/8"	3/4"	1-5/32"	4"



	PART NO.	REPLACES	HEIGHT	WIDTH	HOLE SIZE	OFFSET	WHEEL SIZE
	R005953G	314, 521410, E5953, M1183, W420	1-13/16"	7-3/4"	3/4"	1-3/16"	15"
	R005973		1-55/64"	7-11/16"	3/4"	1-15/16"	15"
	R005825	521407, E5825, M1129, W227	2-5/16"	12-5/16"	3/4"	1-1/16"	22"
	R005824	521405, E5824, M1128, W226	2-1/2"	10-5/8"	3/4"	1-1/8"	20"

TRAILER AXLE SPINDLE HARDWARE


EATON & FRUEHAUF AXLES

	PART NO.	DESCRIPTION	REPLACES	DIAMETER	LENGTH
	R002306	Cotter Pin	12406, E2306	1/4"	3"

EATON, MERITOR, SPICER & STD. FORGE 13,000 & 14,000 LB. AXLES

	PART NO.	DESCRIPTION	REPLACES	ACROSS FLATS	THREAD SIZE	THICKNESS	WASHERS	
	R000617	Washer				1/16"	O.D.	I.D.
	1227-H-34	Nut	103100001, 12461, 65466, E618, F1202, L209, M10HN107, M680	2-1/2"	1-3/4"-12	3/8"		

FRUEHAUF "PRO-PAR" AXLE AND MERITOR EARLY MODEL TP AXLE

	PART NO.	DESCRIPTION	REPLACES	ACROSS FLATS	THREAD SIZE	THICK	WASHERS		PIN	
	R001559	Cotter Pin	12403, 42204, 5403, E1559, L1762, M1069, M1430				O.D.	I.D.	DIA.	LGTH
									1/4"	1"

¹ Casting