



Rapid-Release™ Service Gladhand

- Releases trailer brakes up to 50% faster than standard methods.
- Available in both standard and 37.5° mount.
- Prevents in-city trailer bounce.
- Reduces wear on drums resulting in maintenance savings.





Sloan		Seal	
No.	Configuration	Type	Remarks
441175	standard	poly	w/ filter
441176	standard	poly	
441177	angle mount	poly	w/ filter
441178	angle mount	poly	

Rapid-Release™ Service Kit

Sloan	
No.	Description
451715	Rapid Release Gasket Service Kit
	-includes gasket, snap ring, and diaphragm

Swing-Away/Shut-off Gladhand™

- Shut-off valve prevents contaminants from entering the system.
- Eliminates the need for a dummy coupler.
- Decreases plumbing hardware and speeds installation time.





Sloan		Seal	
No.	Configuration	Type	Remarks
441171	service	black poly	Cast Aluminum Gladhand
441172	emergency	black poly	Cast Aluminum Gladhand
441169	service	blue poly	Cast Iron Gladhand
441170	emergency	red poly	Cast Iron Gladhand

Cast Iron Gladhands

- · Constructed of die cast malleable iron.
- · Comes standard with polyurethane seal.



Sloan	Seal			
No.	Configuration	Type	Remarks	
441088•	emergency	red poly	2-piece design	
441089•	emergency	black poly	2-piece design	
441090•	service	blue poly	2-piece design	
441091•	service	black poly	2-piece design	
441092•	universal	black poly	2-piece design	
441131•	service	blue poly	1-piece design	
441132•	emergency	red poly	1-piece design	
441133•	universal	black poly	1-piece design	

[•] Item available as 40 pieces in one box. Order with suffix -40.



Standard Gladhands

- · Constructed of die cast aluminum with stainless steel wear plates.
- Service and Emergency configurations (polarized) or Universal (non-polarized).
- · Available with polyurethane color coded seals.

Why Use Gladhands with Polyurethane Seals?

- · Polyurethane seals will not crack, tear or dry out like rubber seals.
- Polyurethane seals have a reverse taper-eliminates the possibility of the seal lip folding over.
- · Polyurethane seals are available color coded-reduces chance of hookup error.
- · Polyurethane seals are pliable in all weather conditions.

	Sloan		Seal	
	No.	Configuration	Type	Remarks
	441015•••	service	rubber	
	441016•••	emergency	rubber	
	441017•••	universal	rubber	
ı	441050•••	emergency	rubber	w/ filter
	441051•••	service	rubber	w/ filter
ı	441056•••	service	blue poly	
۱	441057•••	emergency	red poly	
	441058•••	service	black poly	
ı	441059•••	emergency	black poly	
V	441060•••	universal	black poly	
	441078•••	service	blue poly	powder-coated body
5	441079•••	emergency	red poly	powder-coated body
	441093•••	service	black poly	powder-coated body
	441094•••	emergency	black poly	powder-coated body
	441145	universal	rubber	1/4" main port

••• Item available as 100 pieces in one box. Order with suffix

Cast Iron Swing-Away Gladhands

· Constructed of die cast malleable iron.

Photo not Available at time of printing, for photograph contact your Sloan Customer Service representative.

Sloan		Seal	
No.	Configuration	Type	Remarks
441189	Service 90°	rubber	
441189F	Service 90°	rubber	w/ filter
441190	Emergency 90°	rubber	
441190F	Emergency 90°	rubber	w/ filter

NEW!

Rubber	Hose
Assemi	olies
Coiled I	Hose
A ssemb	olies

3-in-1 Wrap
Bulk Hose

Quick-Fix™ Air Hose

Accessories
Hose Clamps

Gladhands
Air Tanks
Drain Valves
Ground Plugs

Selector Valves
Truck Valves

Brass Fittings

Hose & Tube Chart

Dash Control Valves Air Brake

Air Brake <u>Valves</u> Air Accessory

Valves
Air Cylinders

Switches &

Toggles

Plugs, Sockets & Cables

RV Plugs & Sockets

Wire and Cable

Electrical Harnesses

Electrical Connectors

Engine Heaters

Fuel Caps

Oil Caps & Dipsticks

Grease Fittings

Wiper Blades

Water Pumps



37-1/2° Bracket Mount Gladhands



Sloan		Seal	
No.	Configuration	Type	Remarks
441018•••	emergency	rubber	with filter
441019•••	emergency	rubber	
441022•••	service	rubber	with filter
441023•••	service	rubber	
441065***	emergency	red poly	
441066•••	service	blue poly	
441067•••	service	blue poly	blue powder-coated body
441068•••	emergency	red poly	red powder-coated body
441074***	emergency	red poly	with filter
441075•••	service	blue poly	with filter
441083•••	emergency	black poly	
441085•••	service	black poly	
441098••	service	blue poly	blue painted body, stainless steel clamp
441099••	emergency	red poly	red painted body, stainless steel clamp

- •• Item available as 63 pieces in one box. Order with suffix -63.
- ••• Item available as 80 pieces in one box. Order with suffix -80.

- Swing-Away Gladhands
 Provides the lowest projection height from "trailer skin".
 - Eliminates the need to "twist" hoses to obtain gladhand retraction.
 - 45° swivel designed elbow permits optional air line entry from either the bottom or back port.
 - Eliminates expensive swivel type hoses and permits the use of inexpensive nylon reinforced tubing.
 - · Gladhand bracket prevents foreign particles and insects from entering air lines while trailer is not in use.

SWING-AWAY GLADHAND ROTATES A FULL 180° FOR EASY AIR LINE COUPLING.





3/8"-18 NPTF Bottom Port
3/8"-18 NPTF
Back Port

Sloan		Seal		Gladhand
No.	Configuration	Type	Remarks	Material
441062	service	black poly	bottom port air hookup	aluminum
441063	emergency	black poly	bottom port air hookup	aluminum
441064	universal	black poly	bottom port air hookup	aluminum
441069	emergency	red poly	bottom port air hookup	aluminum
441070	service	blue poly	bottom port air hookup	aluminum
441102	service	black poly	back port air hookup	aluminum
441103	emergency	black poly	back port air hookup	aluminum
441104	universal	black poly back port air hookup		aluminum
441105	emergency	red poly	back port air hookup	aluminum
441106	service	blue poly	back port air hookup	aluminum
441150	service	blue poly	bottom port air hookup	cast iron
441151	emergency	red poly	bottom port air hookup	cast iron
441152	service	blue poly	back port air hookup	cast iron
441153	emergency	red poly	back port air hookup	cast iron
441154	service	blue poly	both ports open	cast iron
441155	emergency	red poly	both ports open	cast iron



Rubber Hose

Shut-Off Style Gladhands with Standard Seal



Sloan				
No.	Configuration	Plug	Fitting	Seal
441000•	service	not req'd	3/8" copper	rubber
441001•	service	not req'd	3/8" nylon	rubber
441003•	service	not req'd	1/2" nylon	rubber
441004•	service	not req'd	none	rubber
441005•	emergency	yes	3/8" copper	rubber
441007•	emergency	no	3/8" copper	rubber
441008•	emergency	no	3/8" nylon	rubber
441012•	emergency	no	1/2" nylon	rubber
441014•	emergency	no	none	rubber
441071	emergency	not req'd	3/8"-18 port	red poly
441072	service	not req'd	3/8"-18 port	blue poly
441080	emergency	not req'd	3/8"-18 port	black poly
441081	service	not req'd	3/8"-18 port	black poly

[•] Item available as 50 pieces in one box. Order with suffix -50.

* All Sloan Shut-Off Gladhands include a gasket that is to be mounted between the gladhand base and the trailer. This gasket will help prevent corrosion on the mounting surface between the trailer and the gladhand.

Rubber

Bulk Head Shut-off Gladhand

• Die cast aluminum construction

• Emergency gladhand has 1/4" port for pintle hook

Sloan No.	Description	
441148	service with 3/8" nylon tube fitting	
441149	emergency with 3/8" nylon tube fitting	
441161	service with 1/2" nylon tube fitting	
441162	emergency with 1/2" nylon tube fitting	
441164	service with no fitting	
441165	emergency with no fitting	

Gladhand Lock

- Prevents unwanted trailer connections.
- · 6 lock combinations available with 2 keys.
- · Fits most makes of gladhands.



Sloan No.	Key No.
441752-01	01
441752-02	02
441752-03	03
441752-04	04
441752-05	05
441752-06	06

1" -14 UNS mounting stud

Rubber Hose
Assemblies
Coiled Hose
Assemblies
3-in-1 Wrap
Bulk Hose
Quick-Fix™
Air Hose
Accessories
Hose Clamps
Gladhands
Air Tanks
Drain Valves
Ground Plugs
Selector Valves
Truck Valves
Brass Fittings
Hose & Tube
Chart
Dash Control
Valves
Air Brake
Valves
Air Accessory
Valves
Air Cylinders
Switches &
Toggles
Plugs, Sockets
& Cables
RV Plugs &
Sockets
Wire and Cable
Electrical
Harnesses
Electrical
Connectors
Engine Heaters
Fuel Caps
. ao. capo

Oil Caps & Dipsticks
Grease
Fittings

Wiper Blades
Water Pumps

Solid brass handle