See Page 2

LED Super 44® Stop, Turn & Tail 6, 17 & 42 Diode Pattern



Material:
- Polycarbonate or acrylic lens (diamond shell), housing & flange
- PVC grommet
- 16 gauge wire

Light Source:
- 6 diode designed at 14v, .03/.3 amp
- 42 diode designed at 14v, .1/.5 amp
- 17 diode designed at 28v, .25/.5 amp

Recommended Accessories:
- Mounting: Pages 237-239
- Plugs: Pages 191-193

FMVSS:
- I6, P2, S2(3), T

- U.S. Patent #6654172 & U.S. Registered TM #3483147
- Less current draw, resulting in increased battery & alternator life while allowing more power for other vehicle requirements
- Faster illumination offers significant safety benefit for following drivers to react quicker, resulting in an average distance of 3' for every 10 mph
- LEDs have no filament, therefore are extremely resistant to shock & vibration
- Flange mounts are permanently affixed to lamp



Grommet Kits
44030R	**Red, 6 diode**
44092R	**Red, 6 diode, diamond shell**
44002R	**Red, 42 diode**

Kits include lamp, 40700 grommet & 94706 adapter



LED Lamp Only
44302R	**Red, 6 diode**
44982R	**Red, 6 diode, diamond shell**
44202R	**Red, 42 diode**
44882R	**Red, 42 diode, diamond shell**
44253R	**Red, 17 diode, 24 volt**

Gray Flange Kits
44032R	**Red, 6 diode**
44022R	**Red, 42 diode**

Kits include lamp w/flange & 94706 adapter

Black Flange Kits
44036R	**Red, 6 diode**
44026R	**Red, 42 diode**

Kits include lamp w/flange & 94706 adapter

White Flange Kits
44038R	**Red, 6 diode**

Kits include lamp w/flange & 94706 adapter



Lamp & Gray Flange
44322R	**Red, 6 diode**
44983R	**Red, 6 diode, diamond shell**
44222R	**Red, 42 diode**
44883R	**Red, 42 diode, diamond shell**

Lamp & Black Flange
44326R	**Red, 6 diode**
44986R	**Red, 6 diode, diamond shell**
44226R	**Red, 42 diode**
44266R	**Red, 17 diode, 24 volt**

Lamp & White Flange
44328R	**Red, 6 diode**
44988R	**Red, 6 diode, diamond shell**

LED Super 44® Stop, Turn & Tail
6 Diode Pattern Hardwired

See Page 2

Material:
- Polycarbonate lens, housing & flange
- 16 gauge wire

Light Source:
- Light Emitting Diodes (LEDs)
- Designed at 14v, .03/.3 amp

Recommended Accessories:
- Mounting: Pages 237-239

FMVSS:
- I6,PS,S2(3),T

- U.S. Patent #6654172 & U.S. Registered TM #3483147
- Hardwired design results in decreased depth compared to integral plug versions, allowing for mounting in confined spaces
- LEDs have no filament, therefore are extremely resistant to shock & vibration, a major cause of failure for lamps with incandescent bulbs
- Less current draw, resulting in increased battery & alternator life while allowing more power for other vehicle requirements
- Faster illumination offers significant safety benefit for following drivers to react quicker, resulting in an average distance of 3' for every 10 m.p.h.



Hardwired w/Blunt Cut
Lamp Only
44350R Red
44959R Red, diamond shell

Gray Flange Mount
44362R Red
44953R Red, diamond shell

White Flange Mount
44356R Red
44975R Red, diamond shell



Hardwired w/PL-3 Adapter
Lamp Only
44351R Red
44960R Red, diamond shell

Gray Flange Mount
44363R Red
44954R Red, diamond shell

White Flange Mount
44357R Red



Hardwired w/Mate for Fit 'N Forget®
Lamp Only
44353R Red
44972R Red, diamond shell

Gray Flange Mount
44365R Red
44956R Red, diamond shell

White Flange Mount
44359R Red



Hardwired w/Male Pin Adapter
Lamp Only
44355R Red
44974R Red, diamond shell

Gray Flange Mount
44367R Red

White Flange Mount
44361R Red
44980R Red



Hardwired w/PE Connector #15300003
Lamp Only
44354R Red
44973R Red, diamond shell

Gray Flange Mount
44366R Red
44957R Red, diamond shell

White Flange Mount
44360R Red

44® Series Security Grommet For Flanged Lamps

Material:
- PVC grommet

Recommended hole sizes for grommet installation:

Plate Thickness	Hole Size
1/16"	4.47"
1/8"	4.50"
3/16"	4.50"
1/4"	4.53"
3/8"	4.56"



- Eliminates ability to remove lamp from outside of vehicle
- Access to back of mounting application required to remove lamp
- With "Pull-Through" design, flanged lamp is partially installed from behind & mounting lip is pulled through on front of mounting application
- PVC construction allows lamp to fall back into mounting box upon great impact, reducing chance of damage
- Easily mounts over any Truck-Lite Super 44® series 4" flanged LED lamp

44710 **Security grommet (lamp sold separately)**

44® Series Security Flange For Non-Flanged Lamps

Material:
- Stainless steel ring
- EPDM mounting gasket

Kit Components:
44034R kit:
1 - 44334R lamp & security flange
1 - 94706 adapter plug

Replacement Parts:
- 97334 - flange for 7 & 10 gauge applications
- 97337 - flange for 8 gauge applications



- Helps protect LED lamp from theft by locking them in place
- Snap-and-go installation greatly reduces mounting time & eliminates need for screw holes or mounting screws
- Stainless steel construction makes for a chrome-like, shiny appearance
- Fits Truck-Lite Super 44® 6 diode LED lamps

44334R **Lamp & flange kit, 7, 8 & 10 gauge**
44034R **Lamp, pigtail & flange kit, 7, 8 & 10 gauge**

LED Super 44® Front, Park & Turn 60 Diode Pattern

See Page 2

Material:
- Polycarbonate or acrylic lens, housing & flange
- PVC grommet
- 16 gauge wire

Light Source:
- Light Emitting Diodes (LEDs)
- Designed at 14v, .1/.75 amp

Kit Components:
44024Y black flange:
1 - 44224Y lamp & flange
1 - 94706 adapter plug
44023Y gray flange:
1 - 44223Y lamp & flange
1 - 94706 adapter plug
44003Y & 44071Y grommet:
1 - 44203Y or 44871Y lamp
1 - 40700 grommet
1 - 94706 adapter plug

Recommended Accessories:
- Mounting: Pages 237-239
- Plugs: Pages 191-193

FMVSS:
- I6,P

- LEDs have no filament, therefore are not susceptible to shock & vibration, a major cause of failure for incandescent bulb lamps
- Less current draw, resulting in increased battery & alternator life while allowing more power for other vehicle requirements
- Front, Park and Turn lamps meet stringent SAE and NHTSA requirements



LED Grommet Kits
44003Y Yellow
44071Y Yellow, diamond shell



LED Lamp
44203Y Yellow
44871Y Yellow, diamond shell



LED Gray Flange Kits
44023Y Yellow
LED Black Flange Kits
44024Y Yellow



LED Lamp & Gray Flange
44223Y Yellow
44877Y Yellow, diamond shell
LED Lamp & Black Flange
44224Y Yellow
44878Y Yellow, diamond shell
LED Lamp & White Flange
44233Y Yellow

LED Stop/Turn/Tail & Front/Park/Turn 24 Diode Pattern

Material:
- Polycarbonate lens & housing

Light Source:
- Light Emitting Diodes (LEDs)
- 12v lamp designed at 13.5v, .030/.380 amp

Recommended Accessories:
- Mounting: Pages 237-239
- Plugs: Pages 191-193

FMVSS:
- Red - I6,P2,S2(3),T
- Yellow - I6,P2,P

- Uses standard Right Angle connection
- Unique LED array displays a full pattern light output design
- Epoxy encapsulated electronics prevents damage from moisture & corrosion

4050 Red lamp
4050A Yellow lamp
4051 Red lamp w/clear lens
4051A Yellow lamp w/clear lens



Signal-Stat

Super 40 | 3 YEAR WARRANTY | Diamond Shell See Page 2 | LED UPGRADE See Pages 6 - 9

- Uniquely designed shock-mount extends lamp life
- Diamond Shell versions available for additional protection
- Available with or without reflectorized lens

Super 40® Stop/Turn/Tail & Front/Park/Turn 4" Sealed

Material:
- Polycarbonate or acrylic lens & housing
- ABS flange
- PVC grommet
- 16 gauge wire

Light Source:
- Heavy duty bulb
- Designed at 13.5v, 2.16/.47 amp, 32/2 cp

Recommended Accessories:
- Mounting: Pages 237-239
- Plugs: Pages 191-193

FMVSS:
- Non-reflectorized
- Red - I6,PS,S2,T
- Yellow - I6,PS,P,O,T,C,W



Lamp & Gray Flange

40258R	Red
40258Y	Yellow

Lamp & Black Flange

40259R	Red



Super 40 Lamps

40242R	Red
40248R	Red reflectorized*
40898R	Red, diamond shell
40242Y	Yellow
40898Y	Yellow, diamond shell

*8 Sq. in. (illuminating) stop/turn lens area for vehicles under 80 in. wide. Meets reflex, tail or clearance function for vehicles over 80 in. wide.

Super 40 | 2 YEAR WARRANTY | LED UPGRADE See Pages 6 - 9

- Heavy duty bulb last longer
- Uniquely designed shock-mount extends lamp life
- Available with or without reflectorized lens
- Flush mount grommets are designed for mounting in a 4-1/2" hole

40® Series Stop/Turn/Tail & Front/Park/Turn 4" Sealed

Material:
- Polycarbonate lens & housing
- ABS flange
- PVC grommet
- 16 gauge wire

Light Source:
- Heavy duty dual filament bulb
- 12v designed at 12.8v, 2.1/.48 amp, 32/2 cp, and 24v designed at 28v, .93/.34 amp, 32/6 cp

Kit Components:
40002R/Y grommet kits:
1 - 40202R/Y 12v lamp
1 - 40700 grommet
1 - 94993 right angle PL3

40009R/Y grommet kits:
1 - 40209R/Y 24v lamp
1 - 40700 grommet
1 - 94993 right angle PL3

40015R grommet kit:
1 - 40215R lamp
1 - 40700 grommet
1 - 94993 right angle PL3

Recommended Accessories:
- Mounting: Pages 237-239
- Plugs: Pages 191-193

FMVSS:
- Non-reflectorized
- Red - I6,PS,S2,T
- Yellow - I6,PS,P,O,T,C,W

Grommet Kits:

40002R	Red
40002Y	Yellow
40009R	Red, 24v
40009Y	Yellow, 24v
40015R	Red, reflectorized*



Model 40 Lamps

40202R	Red
40202Y	Yellow
40209R	Red, 24v
40209Y	Yellow, 24v
40215R	Red, reflectorized*
40232R	Red, 24v, reflectorized*



Lamp & Gray Flange

40226R	Red, reflectorized*

Lamp & Black Flange

40233R	Red
40233Y	Yellow

*8 Sq. in. (illuminating) stop/turn lens area for vehicles under 80 in. wide. Meets reflex, tail or clearance function for vehicles over 80 in. wide.

Male Pin 40 Stop/Turn/Tail Sealed

Material:
- Polycarbonate lens & housing
- PVC grommet
- 16 gauge wire

Light Source:
- Heavy duty dual filament cartridge bulb
- Designed at 13.5v, 2.16/.47 amp, 32/2 cp

Kit Components:
49002R grommet kit:
1 - 49202R lamp
1 - 40700 grommet
1 - 96107 plug

Recommended Accessories:
- Mounting: Pages 237-239

FMVSS:
- I6,PS,S2,T

- Shock mount absorbs road shock & vibration
- Welded connections eliminate failures caused by arcing
- Replaces Grote® #53102

49002R	**Red, grommet kit**
49202R	**Red lamp**



40® Series Stop/Turn/ Tail & Front/Park/Turn Clear Back Sealed

Material:
- Polycarbonate lens & housing
- PVC grommet
- 16 gauge wire

Light Source:
- Designed at 12.8v, 2.1/.48 amp dual filament bulb rated at 32/2 cp

Kit Components:
40006R grommet kit:
1 - 40206R lamp
1 - 40700 grommet
1 - 94993 plug

Recommended Accessories:
- Mounting: Pages 237-239
- Plugs: Pages 191-193

FMVSS:
- I6,P2,P

- Features clear back housing
- Not recommended for clearance marker applications
- Grommet kit features flush mounting in a 4 1/2" hole

40006R	**Red, grommet kit**
40206R	**Red lamp**
40206Y	**Yellow lamp**



40® Series Stop/Turn/Tail & Front/Park/Turn Bulb Replaceable

LED UPGRADE
See Pages 6 - 9

Material:
- Polycarbonate or acrylic lens & housing
- Cam-in socket assembly
- PVC grommet

Light Source:
- Bulb: #1157 bulb

Replacement Parts:
- 99010R red lens & housing
- 99010Y yellow lens & housing
- 94938 socket assembly

Recommended Accessories:
- 99010B blue lens & housing
- 99010G green lens & housing

FMVSS:
- I6,P2,P

- Grommet kit includes lens, housing, socket assembly with bulb, grommet & ground screws
- Grommet features flush mounting in a 4 1/2" hole

40302R	**Red, grommet kit**
40302Y	**Yellow, grommet kit**



40® Economy Stop/Turn/Tail & Front/Park/Turn Sealed

LED UPGRADE
See Pages 6 - 9

Material:
- Polycarbonate lens & housing
- ABS flange
- PVC grommet
- 16 gauge wire

Light Source:
- Designed at 12.8v, 2.1/.48 amp dual filament bulb rated at 32/2 cp

Kit Components:
40028R/40028Y grommet kit:
1 - 40282R/Y lamp
1 - 40700 grommet
1 - 94993 plug

Recommended Accessories:
- Mounting: Pages 237-239
- Plugs: Pages 191-193

FMVSS:
- Non-reflectorized - I6,P2,P
- Reflectorized - I,S,T,A,P2

- Grommet kit features flush mounting in a 4 1/2" hole
- Flange kits feature a high impact plastic affixed to lamp

40028R	**Red, grommet kit**
40028Y	**Yellow, grommet kit**
40282R	**Red lamp**
40282Y	**Yellow lamp**
40285R	**Red lamp, reflectorized**
40029R	**Red, gray flange kit**
40229R	**Red lamp & gray flange**



FLANGE MOUNT



LAMP ONLY

- Specifically designed for use in trailer & body applications
- Mount horizontally or vertically

OmniVolt® Universal Lighting from Truck-Lite

LED 45® Series Stop/Turn/Tail
15 Diode Pattern

Material:
- Acrylic lens, housing & flange
- PVC grommet
- 18 gauge wire

Light Source:
- Light Emitting Diodes (LEDs)
- Lamp designed to operate from 10-30v, 0.29 amp (stop/turn), .03 amp (tail)

Kit Components:
45058R grommet kits:
1 – 45258R lamp
1 – 45700 grommet

Recommended Accessories:
- Mounting: Page 239



LED Grommet Kits
45058R Red



LED Lamp & Flange
45259R Red



LED Lamps
45258R Red

- Uses standard right angle PL-3 connection
- 24 diode pattern
- Unique LED array displays full pattern light output

4550	**Red lamp**
4550A	**Yellow lamp**
4560C	**Clear lamp, back-up**



LED Stop/Turn & Rear Turn
24 Diode Pattern

Material:
- Acrylic lens, housing & flange

Light Source:
- Light Emitting Diodes (LEDs)
- Designed at 13.5v, .03/.38 amp

Recommended Accessories:
- Mounting: Page 239
- Plugs: Pages 191-193

FMVSS:
- Red - I6,PS,S2(3),T
- Yellow - I6,P2,P

- Mount horizontally or vertically
- Heavy duty dual filament cartridge bulb
- Unique shock mount absorbs shock & vibration

45204 SHOWN

45004	**Clear, kit**
45002R	**Red, kit**
45002Y	**Yellow, kit**
45004	**Clear, kit**
45202R	**Red lamp**
45202Y	**Yellow lamp**
45204	**Clear (Back-up)**





Super 45® Stop/Turn/Tail & Front/Park/Turn
Sealed

Material:
- Polycarbonate lens & housing
- PVC grommet
- 16 gauge wire

Light Source:
- Dual filament bulb
- Designed at 13.5v, 2.16/.47 amp

Kit Components:
45002R/Y grommet kits:
1 - 45202R/Y lamp
1 - 45700 grommet; 94993 plug
45004 grommet kit:
1 each 45204 lamp; 45700 grommet; 94992 plug

LED Super 66® Stop/Turn/Tail
1 Diode Pattern

See Page 2

- World's first SingLEDiode® Stop, Turn & Tail lamp
- Designed to look more like a standard incandescent lamp but has more light output
- Less current draw, resulting in increased battery & alternator life while allowing more power for other vehicle requirements

Material:
- Polycarbonate lens, housing & flange
- PVC grommet
- 16 gauge wire

Light Source:
- Light Emitting Diodes (LEDs)
- Designed at 13.5v, .40 amp (stop/turn), .03 amp (tail)

Kit Components:
66050R & 66085R grommets:
1 - 66250R or 66885R lamp, 1 - 60700 grommet
1 - 94706 adapter plug
66052R gray flange kits:
1 - 66252R lamp & flange, 1 - 94706 adapter plug
66056R black flange kits:
1 - 66256R lamp & flange, 1 - 94706 adapter plug

Recommended Accessories:
- Mounting: Pages 240-241
- Plugs: Pages 191-193

FMVSS:
- I6,PS, S2,T



LED Grommet Mount Kits
66050R Red



LED Lamps
66250R Red
66885R Red, diamond shell



LED Gray Flange Kits
66052R Red
LED Black Flange Kits
66056R Red



LED Lamp & Gray Flange
66252R Red
66882R Red, diamond shell
LED Lamp & Black Flange
66256R Red
66369R Red, hardwired
LED Lamp & White Flange
66254R Red

LED Series 60® Stop/Turn/Tail & Front/Park/Turn
26 (S/T/T) or 44 (F/P/T) Diode Pattern

See Page 2

- Faster illumination offers significant safety benefit for following drivers to react quicker, resulting in average 3' reaction time advantage for every 10 mph
- Meets stringent Front, Park and Turn requirements

Material:
- Polycarbonate lens & housing
- ABS flange
- PVC grommet
- 16 gauge wire

Light Source:
- Light Emitting Diodes (LEDs)
- Designed at 14v, .3 amp (stop), .1 amp (tail), .5 amp (turn)

Kit Components:
60050R/60094Y grommet kits:
1 - 60250R or 60290Y lamp
1 - 60700 grommet
1 - 94706 adapter plug
60085R grommet kit:
1 - 60885R lamp
1 - 60700 grommet
1 - 94706 adapter plug
60056R/60097Y black flange kits:
1 - 60256R or 60292Y lamp & flange
1 - 94706 adapter plug
60052R/60096Y gray flange kits:
1 - 60252R or 60291Y lamp & flange
1 - 94706 adapter plug

Recommended Accessories:
- Mounting: Pages 240-241
- Plugs: Pages 191-193

FMVSS:
- Red - I6,P2,S2(3),T
- Yellow - I6,P



Grommet Kits
60050R Red
60085R Red, diamond shell
60094Y Yellow



LED Lamp
60250R Red
60885R Red, diamond shell
60253R Red, 24v
60264R Red, 24v, diamond shell
60290Y Yellow
60892Y Yellow, diamond shell



Gray Flange Kits
60052R Red
60096Y Yellow
Black Flange Kits
60056R Red
60097Y Yellow



LED Lamp & Gray Flange
60252R Red
60291Y Yellow
LED Lamp & Black Flange
60256R Red
60292Y Yellow
LED Lamp & Integral Flange
60298Y Yellow, 24v, diamond shell

LED Stop/Turn/Tail & Front/Park Turn 24 Diode Pattern

- Uses standard Right Angle plug
- Unique LED array displays full pattern light output design
- Epoxy encapsulated electronics prevents damage from moisture & corrosion

6050	**Red lamp**
6050A	**Yellow lamp**
6051	**Red lamp w/clear lens**
6051A	**Yellow lamp w/clear lens**



Material:
- Polycarbonate lens & housing

Light Source:
- Light Emitting Diodes (LEDs)
- Designed at 13.5v, .030/.380 amp

Recommended Accessories:
- Mounting: Pages 240-241
- Plugs: Pages 191-193

FMVSS:
- Red - I6,P2,S2(3),T
- Yellow - I6,P2,P

NEW!

- Features a PL-3 connector
- Shallow curved lens profile allows for flush mounting in applications where space is at a premium
- Ideal for vehicles featuring liftgates

60356R **Red, lamp & flange**



LED 60® Series Stop/Turn/Tail Integral Flange 18 Diode Pattern

Material:
- Polycarbonate lens, housing and flange

Light Source:
- Light Emitting Diodes (LEDs)
- Designed at 14v, .035(stop/turn), 0.09 amp(tail)

FMVSS:
- I6,P2,S2(3),T

LED UPGRADE
See Page 13 & Above

- Mount horizontally or vertically
- Right angle plug assembly

60002R	**Red, grommet kit**
60002Y	**Yellow, grommet kit**
60007R	**Red, grommet kit, 24v**
60007Y	**Yellow, grommet kit, 24v**
60202R	**Red lamp**
60202Y	**Yellow lamp**
60207R	**Red lamp, 24v**
60207Y	**Yellow lamp, 24v**



Super 60® Stop/Turn/Tail & Front/Park/Turn Sealed

Material:
- Polycarbonate lens & housing
- PVC grommet
- 16 gauge wire

Light Source:
- 12v designed at 12.8v, 2.1/.48 amp, 32/2 cp
- 24v designed at 28v, .93/.34 amp 32/6 cp

Kit Components:
60002R/Y grommet kits:
1 - 60202R/Y 12v lamp
1 - 60700 grommet
1 - 94993 plug
60007R/Y grommet kits:
1 - 60207R/Y 24v lamp
1 - 60700 grommet
1 - 94993 plug

FMVSS:
- Red - I6,P2,S2,T
- Yellow - I6,P2,P

LED UPGRADE
See Page 13 & Above

- Mount horizontally or vertically
- Contains a heavy-duty dual filament bulb

60083R	**Red, grommet kit**
60083Y	**Yellow, grommet kit**
60283R	**Red lamp**
60283Y	**Yellow lamp**



60® Economy Stop/Turn/Tail & Front/Park/Turn Sealed

Material:
- Polycarbonate lens & housing
- PVC grommet
- 16 gauge wire

Light Source:
- 12v designed at 12.8v, 2.1/.48 amp, 32/2 cp

Kit Components:
60083R/Y grommet kits:
1 - 60283R/Y lamp
1 - 60700 grommet
1 - 94993 plug

Recommended Accessories:
- Mounting: Pages 240-241
- Plugs: Pages 191-193

FMVSS:
- Red - I6,P2,S2,T
- Yellow - I6,P2,P

Male Pin 60 Stop/Turn/Tail & Front/Park/Turn Sealed

NEW!

Material:
- Polycarbonate lens & housing
- Socket assembly

Light Source:
- Bulb: #3157

Recommended Accessories:
- Mounting: Pages 240-241
- 96107 plug



- Shock mount absorbs road shock & vibration
- Welded connections eliminate failures caused by arcing
- Replaces Grote® #52562

69204R **Red lamp**

60® Series Stop/Turn/Tail & Front/Park/Turn Bulb Replaceable

LED UPGRADE
See Page 13 & 14

Material:
- Polycarbonate lens & housing
- PVC grommet
- Socket assembly
- 16 gauge wire

Light Source:
- Bulb: #3157

Replacement Parts:
- 99184R red lens & housing
- 99184Y yellow lens & housing
- 95407 socket assembly

Recommended Accessories:
- Mounting: Pages 240-241

FMVSS:
- Red - I6,P2,S2,T
- Yellow - I6,P2,P

- Socket assembly cams-out for easy bulb replacement
- Mounts horizontally or vertically

60340R **Red, kit**
60340Y **Yellow, kit**



60® Series Stop/Turn/Tail & Front/Park/Turn Bulb Replaceable

LED UPGRADE
See Pages 6 - 9

Material:
- Polycarbonate lens & housing
- PVC grommet
- 16 gauge wire

Light Source:
- Bulb: #2057

Replacement Parts:
- 99011R/Y lens
- 60781 housing & socket

Recommended Accessories:
- Mounting: Pages 240-241

FMVSS:
- Red - I6,P2,S2,T
- Yellow - I6,P2,P

- Lamp may be either grommet or screw mounted

60302R **Red, kit**
60302Y **Yellow, kit**



0.25 internal knockout holes
1.62 clearance hole

80® Series Stop/Turn/Tail Bulb Replaceable

LED UPGRADE
See Pages 6 - 9

Material:
- Black painted steel or stainless steel housing
- Polycarbonate lens
- Steel retaining ring

Light Source:
- Bulb: #1157

Replacement Parts:
- 99008R red lens
- 97093 mounting gasket
- 97094 lens gasket
- 97945 steel retaining ring

FMVSS:
- I6,S2,P

80336R SHOWN

- Mounts flush to vehicle
- Retaining ring allows for easy bulb replacement

80334R **Red w/black housing**
80335R **Red w/stainless steel housing**
80336R **Red w/polished stainless steel housing**

0.20 screw hole diameter
5.00 bolt hole circle
4.43 mounting hole



80® Series Stop/Turn/Tail & Front/Park/Turn Bulb Replaceable

LED UPGRADE
See Pages 6 - 9

Material:
- Black plastic housing
- Acrylic lens
- Steel retaining ring

Light Source:
- Bulb: #1157

Replacement Parts:
- 99007R red lens
- 99007Y yellow lens
- 97945 retaining ring

FMVSS:
- Red - I6,S2,T
- Yellow - I6,P
- Clear - (2)R

80302Y SHOWN

- Mounts flush to vehicle
- Allows for easy bulb replacement
- Not intended for P2 use

80302R **Red lamp**
80302Y **Yellow lamp**
80304 **Clear lamp, B/U**

0.20 screw hole diameter
4.94 bolt hole circle
4.50 mounting hole



Signal-Stat LED UPGRADE
See Pages 6 - 9

Die Cast Stop/Turn/Tail Bulb Replaceable

3612 SHOWN

- Narrow depth behind flange allows lamp to fit where other lamps cannot
- Mounts through 4-1/2" diameter cut-out, 2" depth below flange

3612	**Red, S/T/T, gray housing**
3616	**Red, S/T/T, chrome housing**
3613W	**Clear, B/U, chrome housing (utility or dome)**

Material:
- Metal die cast housing
- Acrylic lens

Light Source:
- #1156 12v bulb, one wire
- #1157 12v bulb, two wire

Replacement parts:
- 9016 red lens
- 9016W clear lens
- 9021 red lens kit
- 9021W clear lens kit
- 9102 plug, one wire
- 9101 plug, two wire

FMVSS:
- Red - I,P2,S,T



LED UPGRADE
See Pages 6 - 9

80® Series Stop/Turn/Tail Bulb Replaceable

Material:
- Rubber housing
- Polycarbonate lens

Light Source:
- Bulb: #1157

Replacement Parts:
- 99008R red lens

FMVSS:
- I6,S2,T

- Features rubber housing for shock absorbency
- Snap-in lens for quick bulb replacement
- Mounts flush to vehicle with recessed lens
- Not intended for use as (P2) clearance

80339R	**Red**



0.188 screw hole diameter
5.000 bolt hole circle
4.500 mounting hole

41 Series Stop/Turn/Tail Sealed

41202R SHOWN 41203R SHOWN

- Mounts in 7.83" x 4.43" hole
- Requires separate reflector to meet legal requirements

41005R	**Red, LH kit**
41006R	**Red, RH kit**
41007R	**Red, universal kit**
41008R	**Red, universal kit w/o plugs**
41202R	**Red, LH**
41203R	**Red, RH**

Material:
- Polycarbonate lens & housing
- 16 gauge wire

Light Source:
- Dual filament bulb
- Designed at 12.8v, 2.1/.48 amp, 32/2 cp

Kit Components:
41005R LH kit:
1 - 41202R & 41203R lamp
1 - 94948 LH plug
41006R RH kit:
1 - 41202R & 41203R lamp
1 - 94949 RH plug
41007R universal kit:
1 - 41202R & 41203R lamp
2 - 94926 universal plug
41008R universal kit:
1 - 41202R & 41203R lamp

FMVSS:
- I,S,T



Signal-Stat

Universal Mount Stop/Turn/Tail Bulb Replaceable

540D SHOWN

- Two wire

540D	**Red w/license, two stud, retail pack**
541	**Red w/o license, two stud**

Material:
- Polycarbonate lens & housing

Light Source:
- Bulb #1157

Replacement Parts:
- 9041 red lens
- 9041A yellow lens

FMVSS:
- Red - I,P,S,T
- License - L



Two stud mount

7-IN-1 Combination Products
Bulb Replaceable

Material:
- Acrylic lens
- Polycarbonate housing

Light Source:
- Bulb: #1157 S/T/T, #1895 S/M

Replacement Parts:
- 99074R red lens

FMVSS:
- Side: A,P2
- Rear: A,I,ST,L

- Features reflectorized lens

80322R Red, w/o license
80324R Red, w/license



1/4 - 20 studs

80324R SHOWN

LED Multi-Function
16 LED – S/T/T
5 LED – License
18 LED – B/U

Material:
- Polycarbonate lens & housing
- Acrylic S/T/T & B/U lens
- 18 gauge 3 wire

Light Source:
- Designed at 12v,
  .731-.852A major
  .308-.470A minor

FMVSS:
- Roadside: A,I6,(2)R,S2(3),T,L
- Curbside: A,I6,(2)R,S2(3),T

- Upgrade to LED technology – provides significant ROI
- Unique LED array displays full pattern output
- 3 stud mounting design w/ground function

5070 Roadside w/license
5071 Curbside
5072 Roadside w/license & PE connector
5073 Curbside w/PE connector



NEW!

Signal-Stat

2 YEAR WARRANTY

5070 SHOWN

Multi-Function Three Stud
Bulb Replaceable

Material:
- Polycarbonate lens & housing
- 18 gauge wire

Light Source:
- Bulb: #1157 S/T/T
- Bulb: #1156 B/U

Replacement Parts:
- 9049 lens kit
- 9288 license bracket
- 97706 lens gasket

FMVSS:
- Roadside: A,I6,(2)R,S2,T,L
- Curbside: A,I6,(2)R,S2,T

4025 SHOWN

- GMC # 477332 (LH)
- Jeep # SF5758254 (LH)
- Dodge # 4114562 (RH)
- GMC # 477331 (RH)
- Jeep # SF5758255 (RH)

4025 Roadside w/license
4026 Curbside



Signal-Stat

Multi-Function Three Stud
Bulb Replaceable

Material:
- Acrylic lens
- Polycarbonate housing
- 18 gauge wire

Light Source:
- Bulb: #1157 S/T/T
- Bulb: #1156 B/U

Replacement Parts:
- 9049 lens kit
- 9288 license bracket
- 97706 lens gasket

FMVSS:
- A,I6,(2)R,S2,T,L

4027 SHOWN

- Combination stop/turn/tail, back-up & reflex reflector
- Three bolt on 2" triangle

4027 Universal



LED UPGRADE
See Above

Signal-Stat

Signal-Stat

- Dodge Truck # 3895020 and 3895021
- Ford # D0TZ13404A, D3KZ13404A, D3TZ13403B, E2TB13404A & E2TB13405A

LED UPGRADE
See Page 17

4028 **Universal w/license**



Multi-Function Two Stud Bulb Replaceable

Material:
- Polycarbonate lens & housing

Light Source:
- Bulb: #1157 S/T/T
- Bulb: #1165 B/U

Replacement Parts:
- 9049 lens kit
- 9288 license bracket
- 97706 lens gasket

FMVSS:
- A,I6,(2)R,S2,T,L

Signal-Stat

- Navistar #467707C91 & 424538C91 (LH)
- Navistar #467708C91 & 424539C91 (RH)

4015 **Roadside, w/license**
4016 **Curbside**



Multi-Function Three Stud Bulb Replaceable

Material:
- Polycarbonate lens & housing

Light Source:
- Bulb: #1157 S/T/T
- Bulb: #1156 B/U

Replacement Parts:
- 9071 lens & gasket
- 9288 license bracket
- 97706 lens gasket

FMVSS:
- Roadside: A,I6,(2)R,S2,T,L
- Curbside: A,I6,(2)R,S2,T

Signal-Stat

- Replaces all GM medium & heavy duty 1972 to 1985

4017 **Roadside**
4018 **Curbside w/license**



Multi-Function Three Stud Bulb Replaceable

Material:
- Polycarbonate lens & housing

Light Source:
- Bulb: #1157 S/T/T
- Bulb: #1156 B/U

Replacement Parts:
- 9071 lens & gasket
- 9288 license bracket
- 97706 lens gasket

FMVSS:
- Roadside: A,I6,(2)R,S2,T,L
- Curbside: A,I6,(2)R,S2,T

Signal-Stat

- Ford #D9HZ13405A & B (curbside)
- Ford #D9HZ13404A & B (roadside)
- Fits 1979 & up Ford models
- Freightliner #A06-13581-001 (curbside)
- Freightliner #A06-13581-000 (roadside)

4023 **Curbside w/license, Ford**
4024 **Roadside w/license, Ford**
4023Y106 **Curbside, Freightliner**
4024Y106 **Roadside, Freightliner**



Multi-Function Three Stud Bulb Replaceable

Material:
- Polycarbonate lens & housing

Light Source:
- Bulb: #1157 S/T/T
- Bulb: #1156 B/U

Replacement Parts:
- 9071 lens & gasket
- 9288 license bracket
- 97706 lens gasket

FMVSS:
- Roadside: A,I6,(2)R,S2,T,L
- Curbside: A,I6,(2)R,S2,T

Multi-Function Three Stud Bulb Replaceable

Material:
- Polycarbonate lens & housing

Light Source:
- Bulb: #1157 S/T/T
- Bulb: #1156 B/U

Replacement Parts:
- 9049 lens kit
- 9470 5-wire harness
- 9469 4-wire jumper
- 97706 lens gasket

FMVSS:
- A,I6,(2)R,S2,T,L

- Navistar #1661281C91 & Navistar #1661282C91
- RH lamp popular replacement for GM/IH OE #56139474, #15565732
- 5315Y101 has dual Metri-Pack connectors – one on either side of the lamp
- 5315Y101 uses #9470 main harness
- 5316Y101 uses #9469 jumper harness

5315Y101 Universal w/license
5316Y101 Curbside w/license



LED Universal Trailer Lighting Kit
12 Diode - S/T
1 Diode - Side Markers
1 Diode - M/C

Kit Components:
1 - 5055 curbside S/T
1 - 5056 roadside S/T
2 - 5052A M/C (optional)
1 - 25' trailer wire harness
1 - 4' truck connector
1 - license bracket
1 - mounting hardware

FMVSS:
- A,I,S,(3)T,L,P2

- Popular on camping, motorcycle, horse & utility trailers
- Kit provides all legal lamps & reflective products for trailers less than 80" wide

5050DK LED trailer kit, retail pack
5051DK LED trailer kit, w/marker lights, retail pack
5052AD LED marker lamp, retail pack
5055D LED stop & tail, curbside, retail pack
5056D LED stop & turn w/license, roadside, retail pack



Trailer Lamp Kit

Light Source:
- Bulb: #1157 M/F
- Bulb: #194 marker

Kit Components:
1 - 534D LH lamp
1 - 535D RH lamp
1 - 1570 red marker lamp
1 - 1570A yellow marker lamp

Replacement Parts:
- 8948 M/F lens
- 8947 red marker lens
- 8947A yellow marker lens

FMVSS:
- A,I,S,T,L,P2

- For use on camping, motorcycle, horse & utility trailers
- Kit provides all legal lamps & reflective products for trailers LESS than 80" wide

533DK Trailer lamp kit, retail pack
534D Left with license illuminator, retail pack
535D Right without license illuminator, retail pack





- Popular on boat trailers under 80” wide

55554 **Kit, w/o side markers**

Submersible Trailer Lighting Kits

Kit Components:
55554 kit:
1 - 80317R M/F lamp
1 - 80318R M/F lamp w/license
1 - 80722 license bracket
1 - 93960 harness

Replacement Parts:
- 99126R lens w/license
- 99127R lens w/o license

FMVSS:
- Red: A,I,P2,S,T,L
- Yellow: A,P2

Signal-Stat

- Popular on boat trailers under 80” wide
- Deluxe kit features a Sealed lamp capsule that protects the bulb & electrical contacts from damage by water & corrosion
- Left hand lamp includes license plate illuminator
- S/T/T lamps 8L x 2-7/8H x 2-3/4D

530DK **Kit – slimline, retail pack**

Submersible Trailer Lighting Kit

Kit Components:
1 - 528 LH lamp
1 - 529 RH lamp
1 - license bracket
1 - 25’ wiring
1 - 4’ trunk connector
1 - mounting accessories

Replacement Parts:
- 9676 red lens

FMVSS:
- Red: A,I,P2,S,T,L
- Yellow: A,P2

45740 SHOWN

45742 SHOWN

NEW!

45435 SHOWN

- Unique housing offers shock absorbancy & allows lamp replacement without tools
- Features rugged thermoplastic rubber housing
- High impact polypropylene cover
- Prewired terminal contact strip included

45740 **LH**
45741 **RH**
45742 **LH w/turn signal**
45743 **RH w/turn signal**
45435 **LH w/Signal-Stat LED’s**
45436 **RH w/Signal-Stat LED’s**



Rubber Housed Module

Material:
- Thermoplastic rubber housing
- Polypropylene cover

Kit Components:
45740/45741 module kits:
2 - 45202R Super 45 S/T/T
1 - 45204 Super 45 B/U
1 - 45323 module box
1 - 45333 latch cover
45742/45743 module kits:
1 - 45202R Super 45 S/T/T
1 - 45201Y Super 45 T/S
1 - 45204 Super 45 B/U
1 - 45323 module box
1 - 45333 latch cover
45435/45436 module kits:
1 - 4550 LED S/T/T
1 - 4550A LED F/P/T
1 - 4560C LED B/U
1 - 45323 module box
1 - 45333 latch cover

FMVSS:
- A,I6,P2,(2)R,S2,T
- Turn Signal: A,I6,(2)R,S2,T

LED Metal Module Stop/Turn/Tail & Back/Up With Side Marker

- Popular on straight truck applications
- Features metal module box with side marker & back-up lamps

44808 **RH, w/turn signal**
44809 **LH, w/turn signal**

Material:
- Metal module box
- PVC grommet
- 14 gauge wire

Light Source:
- Super 44 S/T/T lamps designed at 14v, .03/.3 amp
- Super 44 T/S lamps designed at 14v, .5 amp
- Model 44 B/U lamps designed at 13.5v, .25 amp
- Model 19 C/M lamps designed at 14v, .05 amp

Kit Components:
44808/44809 module kits:
1 - 44302R Super 44 S/T/T
1 - 44201Y Super 44 T/S
1 - 19250R Model 19 C/M
1 - 44206C Model 44 B/U
3 - 40700 grommets
1 - 96502 RH harness
1 - 96503 LH harness

FMVSS:
- Side: P2
- Rear: A,(2)R,I6,S2,(3)T



LED Metal Module Stop/Turn/Tail & Back/Up With Side Marker

- Popular on straight truck applications
- Features metal module box with side marker & back-up lamps

40758 **LH, without turn signal**
40759 **RH, without turn signal**
40790 **RH, w/turn signal**
40791 **LH, w/turn signal**
40808 **LED RH, w/turn signal**
40809 **LED LH, w/turn signal**

LED KITS AVAILABLE

40790 SHOWN

Material:
- Metal module box
- PVC grommet
- 14 gauge wire

Light Source:
- Super 40 lamps designed at 13.5v, 2.1/.47 amp dual filament bulb
- Super 21 lamps designed at 14v, .33 amp

Kit Components:
40758/40759 module kits:
2 - 40242R Super 40 S/T/T
1 - 40244 Super 40 B/U
1 - 21201R Super 21 S/M
3 - 40700 grommets
1 - 50526 RH harness
1 - 50525 LH harness

40790/40791 module kits:
1 - 40242R Super 40 S/T/T
1 - 40241Y Super 40 T/S
1 - 40244 Super 40 B/U
1 - 21201R Super 21 S/M
3 - 40700 grommets
1 - 81" wire harness

40808/40809 LED module kits:
1 - 44302R Super 44 S/T/T
1 - 44201Y Super 44 T/S
1 - 40244 Super 40 B/U
1 - 21201R Model 21 S/M
3 - 40700 grommets
1 - harness

FMVSS:
- Side: P2
- Rear: A,R,I6,S2,T



- Popular on straight truck applications
- Features metal module box with side marker & turn signal lamps

40762 **LH**
40763 **RH**



Metal S/T/T Modules With Side Marker

Material:
- Metal module box
- PVC grommet
- 16 gauge wire

Light Source:
- Super 40 lamps designed at 13.5v, 2.1/.47 amp dual filament bulb
- Model 19 lamps designed at 14v, .33 amp

Kit Components:
40762/40763 module kits:
2 - 40242R Super 40 S/T/T
1 - 40241Y Super 40 T/S
3 - 40700 grommets
1 - 19200R Model 19 S/M
1 - wire harness

Recommended Accessories:
- 50282 RH mating harness
- 50283 LH mating harness

FMVSS:
- Side: P2,P3,PC
- Rear: A,,6,P2,T



- Between frame rail mount
- Features heavy gauge metal module
- Comes with pre assembled junction box with wiring harness
- 40894 features Peterbilt replacement with red LED lamps & excludes junction box

40850 **Module**
40894 **Module, Peterbilt**



Power Unit Module

Material:
- Metal module box
- PVC grommet
- Junction box
- 16 gauge wire

Light Source:
- Super 40 lamps designed at 13.5v, 2.1/.47 amp dual filament bulb
- Model 40 lamp designed at 12.8v, 2.1/.48 amp

Kit Components:
40850 module kit:
2 - 40242R Super 40
1 - 40204 Model 40 B/U
3 - 40700 grommets
1 - 19206 Model 19 license
1 - Harness
1 - Junction box
40894 module kit:
2 - 44302R Super 44 S/T/T
1 - 40204 Model 40 B/U
3 - 40700 grommets
1 - 19206 Model 19 license
1 - 95723 harness

FMVSS:
- A,I6,R,S2,T

LED Metal S/T/T Module with Side Marker

Material:
- Polycarbonate lamps
- Metal module box
- PVC grommet
- 14 gauge wire

Kit Components:
40756/40757 module kits:
2 - 40202R M40 S/T/T
1 - 19200R M19 C/M
2 - 40700 grommets
1 - module box
1 - 94942 LH/94943 RH wire harness
1 - 94933 wire harness

40637/40638 module kits:
2 - 44326R LED S44 black flange
1 - 19250R LED M19 C/M
1 - module box

40626/40627 module kit:
2 - 44222R Super 44 S/T/T
1 - 50200 or 50201 wire harness
1 - 94794 RH/94795 LH harness

9536/9537 module kits:
2 - 4050 LED S/T/T
1 - 1960 LED C/M
2 - 40700 grommets
1 - module box
1 - 94942 LH/94943 RH wire harness
1 - 94933 wire harness

FMVSS:
- Side: P2,P3,PC
- Rear: A,I6,P2,S2,T

40757 SHOWN

9536 & 9537 SHOWN

- Features universal mount designed to retrofit a wide variety of vehicles
- Optional mounting gasket available to provide extra seal between module & body

40757 RH Model 40 kit
40756 LH Model 40 kit

Truck-Lite LED kits:
40637 LED LH Super 44 flange kit
40638 LED RH Super 44 flange kit
40626 LED LH Super 44 kit w/o side marker
40627 LED RH Super 44 kit w/o side marker

Signal-Stat LED kits:
9536 LED LED kit w/side marker
9537 LED LED kit w/side marker



.380 bolt hole diameter

40742 SHOWN

- Mounts in 11” x 5.12” hole
- Optional mounting gasket #97938 available to provide extra seal between module & body

40742	**LH Model 40 kit**
40743	**RH Model 40 kit**
40748	**LH Super 40 kit w/Back-Up**
40749	**RH Super 40 kit w/Back-Up**



0.280 screw hole diameter

Plastic S/T/T Module

Material:
- ABS module box
- PVC grommet
- 14 gauge wire

Light Source:
- Super 40 lamps designed at 13.5v, 2.1/.47 amp dual filament bulb
- Model 40 lamps designed at 12.8v, 2.1/.48 amp dual filament bulb

Kit Components:
40742 or 40743 module kit:
2 - 40202R Model 40 S/T/T
2 - 40700 grommets
1 - 40722 module box
1 - 50200 or 50201 wire harness
40748 or 40749 module kit:
1 - 40242R Super 40 S/T/T
1 - 40244 Super 40 B/U
2 - 40700 grommets
1 - 40722 module box
1 - 50200 or 50201 wire harness

FMVSS:
- I6,P2,S2,T

40755 SHOWN

- Features metal mounting flange with high impact plastic module box
- Optional mounting gasket #97938 available to provide extra seal between module & body

40746	**LH Model 40 kit**
40747	**RH Model 40 kit**
40754	**LH Super 40 kit w/Back-Up**
40755	**RH Super 40 kit w/Back-Up**



Flanged Plastic S/T/T Module

Material:
- ABS module box
- Metal flange
- PVC grommet
- 14 gauge wire

Kit Components:
40746 or 40747 module kit:
2 - 40202R Model 40 S/T/T
2 - 40700 grommets
1 - 40721 mounting flange
1 - 40722 module box
1 - 50200 or 50201 wire harness
40754 or 40755 module kit:
1 - 40242R Super 40 S/T/T
1 - 40244 Super 40 B/U
2 - 40700 grommets
1 - 40721 mounting flange
1 - 40722 module box
1 - 50200 or 50201 wire harness

FMVSS:
- I6,R,S2,T

THE BEST OF BOTH WORLDS

SAE J2039 regulations call for a side turn signal lamp to be used at the midpoint of a trailer when turning. A way of signaling to traffic that may not be visible, the lamp is positioned in a manner that will warn traffic of a turn, even when they are not positioned immediately behind the trailer.

INCANDESCENT SIDE TURN SIGNAL LAMP

LED SIDE TURN SIGNAL LAMP



Truck-Lite is proud to offer the LED Super 60® Side Turn Signal lamp as an addition to the incandescent line-up already available. Like the incandescent versions, the LED Super 60® STS lamp surpasses SAE J2039 and DOT standards for Side Turn Signal lamps in large vehicle applications. Created using Advanced Optics Design (AOD) software, to produce maximum light dispersion, the LED lamp is capable of providing light in a more dispersive manner than typical LED lamps. This brings Lifetime LED features to yet another lighting application, offering a lower current draw, sealed electrical components, impact-resistant polycarbonate construction and superior resistance to shock & vibration.

RIGHT THIS WAY



Truck-Lite's LED Super 60 Sequential Arrow Lamp provides an excellent way to signal a turn, with its superior design and placement of LEDs.

The lamp is constructed of impact-resistant polycarbonate, and feaures completely sealed electrical components, resistant to moisture and corrosives. The LED design makes the lamp less susceptible to shock & vibration, making the lamp a perfect choice for your auxiliary marking needs.

COMPLETE LINE-UP

Truck-Lite's complete line of front, side and rear signal lamps has you covered. Our line includes horizontal and vertical mounts as well as pedestal-style and double-faced models, all available in LED, incandescent or bulb-replaceable options. We offer the largest line in the industry which includes the broadest line of both Original Equipment and Aftermarket Signal lamps, all with the quality and durability synonymous with the Truck-Lite name.

See Page 2

LED Super 44® Rear Turn
42 Diode Pattern

- Less current draw, resulting in increased battery & alternator life while allowing more power for other vehicle requirements
- Faster illumination offers significant safety benefit for following drivers to react quicker, resulting in an average of 3' reaction time advantage for every 10 m.p.h.
- LEDs have no filament, therefore are not susceptible to shock & vibration, a major cause of failure for lamps with incandescent bulbs



LED Grommet Kits
44001Y Yellow
44018Y Yellow, 24v



LED Lamps
44201Y Yellow
44881Y Yellow, diamond shell
44273Y Yellow, 24v



LED Gray Flange Kits
44021Y Yellow
LED Black Flange Kits
44027Y Yellow



LED Lamp & Gray Flange
44221Y Yellow
44887Y Yellow, diamond shell
LED Lamp & Black Flange
44227Y Yellow
44888Y Yellow, diamond shell
44276Y Yellow, 24v
LED Lamp & White Flange
44231Y Yellow

Material:
- Polycarbonate or acrylic lens, housing & flange
- PVC grommet
- 16 gauge wire

Light Source:
- Light Emitting Diodes (LEDs)
- 12v designed at 14v, .5 amp
- 24v designed at 28v, .31 amp

Kit Components:
44001Y grommet kit:
1 - 44201Y lamp
1 - 40700 grommet
1 - 94789 adapter plug
44021Y gray flange kit:
1 - 44221Y lamp & flange
1 - 94789 adapter plug
44027Y black flange kit:
1 - 44227Y lamp & flange
1 - 94789 adapter plug
44018Y grommet kit:
1 - 44273Y lamp
1 - 40700 grommet
1 - 94706 adapter plug

Recommended Accessories:
- Mounting: Pages 237-239
- Plugs: Pages 194-195

FMVSS:
- I6

See Above

40041Y SHOWN

Super 40® Turn Signal
Sealed

- Uniquely designed shock-mount extends lamp life
- Uses standard mounting holes & accessories

40041Y Yellow, grommet kit
40241R Red lamp
40241Y Yellow lamp



Material:
- Poylcarbonate lens & housing
- PVC grommet
- 16 gauge wire

Light Source:
- Designed at 13.5v, 2.1 amps, 32 cp

Kit Components:
40041Y grommet kit:
1 - 40241Y lamp
1 - 40700 grommet
1 - 94992 right angle plug

Recommended Accessories:
- Mounting: Pages 237-239
- Plugs: Pages 194-195

FMVSS:
- I6

40® Series Turn & Tail
4" Sealed

- Uses standard mounting holes and accessories
- Heavy duty shock-mounted bulb

40201Y **Yellow lamp**

See Page 26



Material:
- Poylcarbonate lens & housing
- PVC grommet
- 16 gauge wire

Light Source:
- 12v bulb designed at 2.1 amps, 32 cp

Recommended Accessories:
- Mounting: Pages 237-239
- Plugs: Pages 194-195

FMVSS:
- I6

LED 45® Series Rear Turn
70 Diode Pattern

- Hardwired design
- Mount horizontally or vertically
- Permanently affixed flange mount version
- Standard connector makes retrofitting a snap

45051Y **Yellow, grommet kit**
45063Y **Yellow, grommet kit, diamond shell, 24v**
45251Y **Yellow lamp**
45263Y **Yellow lamp, diamond shell, 24v**
45256Y **Yellow lamp & flange 24v**

45251Y SHOWN



Material:
- Polycarbonate lens, housing & flange
- Black PVC grommet
- 18 gauge wire

Light Source:
- Light Emitting Diodes (LEDs)
- 12v designed at .75 amp
- 24v designed at 28v .7 amp

Kit Components:
45051Y 12v grommet kit:
1 - 45251Y lamp
1 - 45700 grommet
45063Y 24v grommet kit:
1 - 45263Y lamp
1 - 45700 grommet

Recommended Accessories:
- Mounting: Pages 239

FMVSS:
- I6

Super 45® Turn Signal
Sealed

- Heavy duty bulb for longer life
- Mount horizontally or vertically

45001R **Red, grommet kit**
45001Y **Yellow, grommet kit**
45201R **Red lamp**
45201Y **Yellow lamp**
45204 **Clear back-up lamp w/reflector**

See Above

45001Y SHOWN



Material:
- Polycarbonate lens & housing
- PVC grommet
- 16 gauge wire

Light Source:
- Single filament baseless bulb
- Designed at 2.1, 32 cp

Kit Components:
45001R/Y grommet kit:
1 - 45201R/Y lamp
1 - 45700 grommet
1 - 94992 plug

Recommended Accessories:
- Mounting: Page 239
- Plugs: Pages 194-195

FMVSS:
- I6

LED Super 60® Side Turn Signal & Marker
11 Diode Pattern



- U.S. Patent #7055996
- World's first LED side turn signal to surpass SAE J2039 standards in large vehicle applications
- Commonly mounted at "mid-point" on trailers or "no zone" areas on tractors
- Faster illumination offers significant safety benefit for following drivers to react quicker, resulting in an average of 3' reaction time advantage for every 10 m.p.h.



LED Grommet Kits
60115Y Yellow



LED Lamps
60315Y Yellow



LED Yellow Flange Kits
60117Y Yellow



LED Lamp & Yellow Flange
60317Y Yellow

Material:
- Polycarbonate lens, housing & flange
- ABS flange
- PVC grommet
- 16 gauge wire

Light Source:
- Light Emitting Diodes (LEDs)
- Designed at 13.5v, .5 amp (turn), .05 amp (marker)

Kit Components:
60115Y grommet kits:
1 - 60315Y lamp
1 - 60700 grommet
1 - 94706 adapter plug
60117Y flange kit:
1 - 60317Y lamp & flange
1 - 94706 adapter plug

Recommended Accessories:
- Mounting: Pages 240-241
- Plugs: Pages 194-195

FMVSS:
- E,P2

60® Series Side Turn & Marker
Sealed

- Features side indicator, marker/clearance & reflector functions
- Narrow width facilitates horizontal mounting
- Red lamp should be used only for rear vehicle applications
- Meets SAE J2039 recommendation for side turn signal

60015R	**Red, grommet kit**
60015Y	**Yellow, grommet kit**
60215R	**Red lamp**
60215Y	**Yellow lamp**
60216Y	**Yellow lamp & gray flange**
60217Y	**Yellow lamp, 24v**



Material:
- Polycarbonate lens & housing
- PVC grommet
- 16 gauge wire

Light Source:
- Dual filament baseless bulb
- 12v bulb designed at 2.1/.49 amp, 32/2 cp
- 24v designed at 28v, .93/.34 amp, 32.6 cp

Kit Components:
60015R/Y grommet kits:
1 - 60215R/Y lamp
1 - 60700 grommet
1 - 94993 right angle plug

Recommended Accessories:
- Mounting: Pages 240-241
- Plugs: Pages 194-195

FMVSS:
- Red: A,PS
- Yellow: A,E,P2

Male Pin Side Turn & Marker Sealed

Signal-Stat

Material:
- Polycarbonate lens & housing
- PVC grommet
- 16 gauge wire

Kit Components:
69002Y grommet kit:
1 - 69202Y lamp
1 - 60700 grommet
1 - 96107 plug

Recommended Accessories:
- Mounting: Pages 240-241

FMVSS:
- A,E,E2,P2

- Male pin connections
- Features side indicator, marker clearance & reflector functions
- Narrow width facilitates horizontal mounting
- Meets SAE J2039 recommendation for side turn signal
- Replaces Grote® #52533

69002Y **Yellow, grommet kit**
69202Y **Yellow lamp**



22® Series Side Turn Sealed

22004R SHOWN

22004Y SHOWN

Material:
- Polycarbonate lens & housing
- Foam gasket
- 16 gauge wire

Light Source:
- Dual filament baseless bulb
- 12v bulb designed at 2.1/.49 amps, 32/2 cp

Kit Components:
22002R/Y kits:
1 - 22202R/Y lamp
1 - 94993 right angle plug
22004R/Y kits:
1 - 22006R/Y lamp & gasket
1 - 94993 right angle plug

Recommended Accessories:
- 97987 lamp gasket

FMVSS:
- Red: P2
- Yellow: E,P2

- Features dual contact marker clearance and side turn or auxiliary turn functions
- Red lamp should be used for rear vehicle applications
- Yellow version exceeds SAE J2039 side turn & marker standards

22002R **Red, kit**
22002Y **Yellow, kit**
22004R **Red, kit w/gasket**
22004Y **Yellow, kit w/gasket**
22202R **Red lamp**
22202Y **Yellow lamp**
22006R **Red lamp w/gasket**
22006Y **Yellow lamp w/gasket**
22016Y **Yellow, black base & gasket**



4.80 mounting holes

40® Series Wide Turn Sealed

LED KITS AVAILABLE

40802 SHOWN

Material:
- Polycarbonate lens
- Steel bracket
- Black PVC grommet
- 16 or 14 gauge wire

Light Source:
- Single filament baseless bulb
- 12v bulb designed at 2.1, 32 cp

Kit Components:
40802 & 40803 open kits:
2 - 40204 lamps
2 - 40700 grommets
1 - 40810 bracket
1 - 99152 universal lens
1 - 94932 PL3 "Y" adapter
40804 & 40805 enclosed kit:
2 - 40204 lamps
2 - 40700 grommets
1 - 40810 bracket
1 - 99152 universal lens
1 - 93843 or 93844 harness
40812 & 40830 enclosed kit:
2 - 44201Y lamps
2 - 40700 grommets
1 - 40810 bracket
1 - 99152 universal lens
1 - 93851 harness

- Features large outer lens for greater visibility
- Includes slotted bracket for ease of installation & adjustment
- Available with enclosed housing for extra protection

40802 **LH, kit w/open back**
40803 **RH, kit w/open back**
40804 **LH, kit w/enclosed back**
40805 **RH, kit w/enclosed back**
40812 **RH, LED kit w/enclosed back**
40830 **LH, LED kit w/enclosed back**



40802, 40803

40804, 40805, 40812, 40830

See Page 2

LED 60® Series Auxiliary Turn & Sequential Arrow

- Auxiliary turn is a two function lamp & complies with SAE 592e & 2042 on both functions
- Sequential arrow is to be used as an auxiliary lamp only & requires a 50% on time flasher, #97231
- Not suitable for "stand alone" front or rear turn applications
- Use 60315Y for LED side turn applications SAE J2039

LED Grommet Mount Kits

60075Y	**Yellow**



LED Lamps

60275Y	**Yellow**
60891Y	**Yellow, diamond shell**
60255Y	**Yellow, 24v**



LED Gray Flange Kits

60072Y	**Yellow**



LED Lamp & Gray Flange

60272Y	**Yellow**
60872Y	**Yellow, diamond shell**

LED Lamp & Black Flange

60276Y	**Yellow**



LED Sequential Arrow

60080Y	**Yellow, grommet kit**
60280Y	**Yellow lamp**



LED Sequential Arrow

60082Y	**Yellow, flange kit**
60282Y	**Yellow, lamp & gray flange**
60286Y	**Yellow, lamp & black flange**

Material:
- Polycarbonate or acrylic lens & housing
- ABS flange
- PVC grommet
- 16 gauge wire

Light Source:
- Light Emitting Diodes (LEDs) 26 Diodes (Aux. Turn) 25 Diodes (Seq. Arrow)
- 12v turn lamp designed at 14v, .42a (major), .10a (minor)
- 12v sequential arrow designed at 14v, .12a (major), .08a (minor)

Kit Components:
60075Y, 60036Y & 60080Y grommet kits:
1 - 60275Y, 60255Y or 60280Y lamp
1 - 60700 grommet
1 - 94706 adapter plug
60072Y & 60082Y gray flange kits:
1 - 60272Y or 60282Y lamp & flange
1 - 94706 adapter plug

Recommended Accessories:
- Mounting: Pages 240-241
- Plugs: Pages 194-195
- 60750 gray flange
- 60725 black flange

FMVSS:
- Red: E2,P2,P3
- Sequential: P2

Super 60® Turn Signal Sealed

- Mount horizontally or vertically

60001R	**Red, grommet kit**
60001Y	**Yellow, grommet kit**
60201R	**Red lamp**
60201Y	**Yellow lamp**

60201Y SHOWN

60201R SHOWN



Material:
- Polycarbonate lens & housing
- PVC grommet
- 16 gauge wire

Light Source:
- Designed at 13.5v, 2.1 amps, 32 cp

Kit Components:
60001R/Y grommet kits:
1 - 60201R/Y lamp
1 - 60700 grommet
1 - 94992 right angle plug

Recommended Accessories:
- Mounting: Pages 240-241
- Plugs: Pages 194-195

FMVSS:
- I6

Turn Signal
Bulb Replaceable

81301R SHOWN

Material:
- Polycarbonate lens
- Steel housing
- 18 gauge wire
- Stainless steel ring

Light Source:
- Bulb #1156, S-8 bayonet
- Designed at 12.8v, 2.1 amp, 32 cp

Replacement Parts:
- 99008R red lens
- 99008Y yellow lens
- 97945 retaining ring
- 97093 mounting gasket
- 97094 lens gasket

FMVSS:
- I6

- Flush mount lamp with recessed lens

81300R	**Red, black steel**
81301R	**Red, stainless steel**
81300Y	**Yellow, black steel**
81301Y	**Yellow, stainless steel**



60® Series Turn Signal
Bulb Replaceable

Material:
- Polycarbonate lens & housing
- PVC grommet
- 16 gauge wire

Light Source:
- Bulb #3157 wedge
- Designed at 12v, 2.1 amps, 32 cp

Kit Components:
60344R/Y grommet kits:
1 - 99184R/Y lens & housing
1 - 60700 grommet
1 - 95415 socket assembly

Replacement Parts:
- 99184R red lens/housing
- 99184Y yellow lens/housing

Recommended Accessories:
- Mounting: Pages 240-241

FMVSS:
- I6

- Uses standard mounting holes & accessories

60344R	**Red, kit**
60344Y	**Yellow, kit**



Combination Side Marker & Side Turn Signal
Bulb Replaceable

4094A SHOWN

Material:
- Polycarbonate lens & housing
- Rubber gasket
- 16 gauge wire

Light Source:
- Bulb: #3157

Recommended Accessories:
- 9289 mounting bracket

Replacement Parts:
- 8918 red lens
- 8918A yellow lens

FMVSS:
- P2,PC

- Red for supplemental stop light or turn signal, yellow for side turn signal and marker lamp
- For Navistar #1677711C91 replacement use Signal Stat # 4091A w/9468

4091	**Red lamp**
4091A	**Yellow lamp**
4094	**Red lamp w/9463 harness**
4094A	**Yellow lamp w/9463 harness**



Combination Side Marker & Side Turn Signal
Sealed

Material:
- Polycarbonate lens & housing
- Rubber gasket
- 16 gauge wire

Light Source:
- Bulb: #3157

FMVSS:
- P2,PC

- Red for supplementary stop light or turn signal
- Yellow for side turn signal and marker lamp

4093	**Red lamp**
4093A	**Yellow lamp**
4095	**Red lamp w/9463 harness**
4095A	**Yellow lamp w/9463 harness**



Turn Signal
Bulb Replaceable

20309Y SHOWN

Material:
- Poylcarbonate lens & housing
- 18 gauge wire

Light Source:
- Bulb: T-4 cartridge
- Designed at 13.5v, 1.55 amp, 20 cp

Replacement Parts:
- 99005Y yellow lens
- 80604 bulb

FMVSS:
- E
- Sequential: P2

- Features snap-in lens with a 90° maximum edge visibility

20309Y	**Yellow lamp**
20310Y	**Yellow lamp w/ground wire**



Turn Signal
Bulb Replaceable

20301Y SHOWN

Material:
- Polycarbonate lens & housing
- 16 gauge wire

Light Source:
- 20301Y - Bulb #1156, S-8 bayonet 12v bulb designed at 2.1 amp, 32 cp
- 20304Y & 20316Y - Bulb #1157, S-8 DC 12v bulb designed at 2.1/.59 amp, 32/3 cp

Replacement Parts:
- 99005Y yellow lens

FMVSS:
- E,I

- Features side turn function, with two versions also meeting marker requirements

20301Y	**Yellow lamp**
20304Y	**Yellow lamp w/clear mkr.**
20316Y	**Yellow lamp w/clear mkr. & .180 molded bullet**



2 YEAR WARRANTY

Signal-Stat

LED Single & Double Face Pedestal Lamps
24 Diode Pattern

- 24 diode pattern
- Chrome plated housing
- Ideal for show trucks, highway mowing, municipal & farm equipment

Material:
- Polycarbonate lens
- Die cast housing

Light Source:
- Light Emitting Diodes (LEDs)
- Double face designed at 12.8v
  major 0.35 +/- 1.10 amp
  minor 0.025 +/- 0.075 amp
- Single face designed at 12.8v
  Red: major 0.13 +/- 0.34 amp
  Red: minor .005 +/- .023 amp
  Yellow: major 0.260 +/- 0.45 amp
  Yellow: minor .015 +/- .035 amp

FMVSS:
- Red: I6,S2,T
- Yellow: I6,P

Single Face LED Pedestal Lamps

2751 Red lamp
2751A Yellow lamp



Double Face LED Pedestal Lamps

2750 Red/Yellow lamp



Signal-Stat

LED UPGRADE
See Above

- 3805Y115 requires Phillips #28S 11/4SC or GE #13655 bulb
- For vehicle application with vehicle width under 80" wide
- Pigtail with spring and thermoplastic wire exits via hollow stud

Double Face Pedestal Lamps
Bulb Replaceable

Material:
- Acrylic lens
- Die cast housing
- 16 gauge wire

Light Source:
- Bulb: #1156 single contact
- Bulb: #1157 double contact

Replacement Parts:
- 9016 red lens
- 9021 red lens kit
- 9016A yellow lens
- 9021A yellow lens kit
- 9016W clear lens
- 9021W clear lens kit
- 9016B blue lens
- 9016G green lens
- 9102 single contact wire
- 9101 double contact wire

FMVSS:
- One wire: I
- Two wire: I,P,S,T

Black Housing
- Mack #47M0251P1

2801 Red/Yellow lamp, one wire
2803 Red/Yellow lamp, two wire



Chrome Housing

3802 Red/Yellow lamp, one wire
3806 Red/Yellow lamp, one wire, shock/mount
3812 Red/Yellow lamp, two wire



Gray Housing

3801 Red/Yellow lamp, one wire
3810 Red/Yellow lamp, three wire, shock/mount® w/ 1-5/16" stud ground wire for fiberglass fenders
3805Y115 Red/Red lamp, railroad crossing lamp



Pedestal Style Lamps "Knock Down" Design
Bulb Replaceable

- Ideal for highway mowing, municipal lawn, and farm equipment
- Spring loaded "Knock-Down" feature allows lamp to flex under impact and return to original position

Signal-Stat

3853AA Yellow/Yellow, two wire, w/ground
3854 Red/Yellow, three wire, w/ground

Material:
- Polycarbonate lens & housing
- Permastat base
- 16 gauge wire

Light Source:
- Designed at 12v, 2.1 amp, 32 cp
- Bulb: #1076 T/S
- Bulb: #1157 S/T/T

Replacement Parts:
- 8936 red lens
- 8936A yellow lens
- 8936B blue acrylic lens

FMVSS:
- I6,P



Double Face Pedestal Lamp Chrome or Gray Housing
Bulb Replaceable

- Snap-Grip lens allows quick bulb & lens replacement
- "O-ring" lens gasket seals out dirt and moisture
- Mounting: Hollow stud, 1/2" diameter

LED UPGRADE
See Page 32

Signal-Stat

3861 Red/Yellow, T/S, chrome housing
3860 Red/Yellow, T/S, gray housing
3862 Red/Yellow, T/S, ground wire for fiberglass fenders, gray housing
3863 Red/Yellow, S/T/T, gray housing

Material:
- Acrylic lens
- Die cast housing
- 16 gauge wire

Light Source:
- Bulb: #1156 single contact
- Bulb: #1157 double contact
- Bulb: #1076 (3862) fiberglass fenders

Replacement Parts:
- 9341 red lens
- 9341A yellow lens
- 9341B blue lens
- 9341G green lens
- 9341W clear lens
- 9160 one wire plug
- 9107 two wire plug

FMVSS:
- I,P,S,T



Double Face Pedestal Lamp
Bulb Replaceable

- Lamp grounds through mounting stud

3850 Red/Yellow
3850AA Yellow/Yellow

Material:
- Acrylic lens & housing
- 16 gauge wire

Light Source:
- Bulb: #1156

Replacement Parts:
- 8936 red lens
- 8936A yellow lens

FMVSS:
- I6



Signal-Stat

Double Face Pedestal Lamp
Bulb Replaceable



- Available as single or dual face lamp
- Dual face lamp mounts on a 3/8"-24 stud, and single face lamp mounts on a 7/16" - 14 stud

70300 Red/Yellow
70330R Red
70330Y Yellow

Material:
- Polycarbonate lens & housing
- 16 or 18 gauge wire

Light Source:
- Bulb: #1156, S-8 bayonet
- Designed at 12v, 2.1 amp, 32 cp

Replacement Parts:
- 99009R red lens for 70300
- 99009Y yellow lens for 70300
- 99090R red lens for 70330R
- 99090Y yellow lens for 70330Y

FMVSS:
- I6

Signal-Stat LED UPGRADE

See Page 32

Single Face Pedestal Lamp
Bulb Replaceable

- For vehicle application with vehicle width under 80” wide

2702	**Red, black housing**
2702A	**Yellow, black housing**

Material:
- Acrylic lens
- Zinc die cast housing
- 16 gauge wire

Light Source:
- Bulb: #1157 S/T/T

Replacement Parts:
- 9016 red lens
- 9016A yellow lens
- 9016W clear lens
- 9016B blue lens
- 9016G green lens

FMVSS:
- I,S,T



Signal-Stat LED UPGRADE

See Page 32

Single Face Pedestal Lamp
Bulb Replaceable

- Rubber O-ring seals out dirt & moisture
- Snap-on lens for easy bulb replacement

3762	**Red, gray housing**

Material:
- Polycarbonate lens
- Zinc die cast housing
- 16 gauge wire

Light Source:
- Bulb: #1157 S/T/T

Replacement Parts:
- 9341 red lens
- 9341A yellow lens
- 9341B blue lens
- 9341G green lens
- 9341W clear lens
- 9107 plug

FMVSS:
- I6,S2,T



Signal-Stat

Single Face Pedestal Lamp
Bulb Replaceable

- Snap-on lens simplifies bulb and lens replacement

3753D	**Red, white housing, one wire, retail pack**
3754D	**Red, white housing, two wire, retail pack**
3755D	**Red, black housing, one wire, retail pack**
3756D	**Red, black housing, two wire, retail pack**
3753AD	**Yellow, white housing, one wire, retail pack**
3755A	**Yellow, black housing, one wire**

Material:
- Acrylic lens
- Polycarbonate housing
- 16 gauge wire

Light Source:
- Designed at 12v, 2.1 amp, 32 cp
- Bulb: #1156 T/S
- Bulb: #1157 S/T/T

Replacement Parts:
- 8936 red lens
- 8936A yellow lens
- 8936B blue lens
- 9102 T/S plug
- 9107 S/T/T plug

FMVSS:
- One wire: I6
- Two wire: S2,T



Signal-Stat LED UPGRADE

See Page 32

Single Face Pedestal Lamp
Bulb Replaceable

- For vehicle application with vehicle width under 80” wide

2701	**Red, black housing**
2701A	**Yellow, black housing**
3701	**Red, gray housing**

Material:
- Acrylic lens
- Zinc die cast housing
- 16 gauge wire

Light Source:
- Bulb: #1156

Replacement Parts:
- 9016 red lens
- 9021 red lens kit
- 9016A yellow lens
- 9021A yellow lens kit
- 9016W clear lens
- 9021W clear lens kits
- 9016B blue lens
- 9016G green lens
- 9102 pigtail

FMVSS:
- I



Single & Double Face Pedestal Lamp
Bulb Replaceable

Material:
- Polycarbonate lens & housing
- 16 gauge wire

Light Source:
- Designed at 12v, 2.1 amp, 32 cp
- Bulb: #1157

Replacement parts:
- 99090R red lens
- 99090Y yellow lens
- 9102 pigtail

FMVSS:
- Red: I6,S2,T
- Yellow: I6,P

- Features high impact gray plastic housing

70310R	**Red**
70311	**Red/Yellow**



7/16 - 14 stud | 70311 SHOWN | 70310R SHOWN

Double Face Pedestal Lamp
Bulb Replaceable

Material:
- ABS housing
- Acrylic (red) or polycarbonate (yellow) lens
- 18 gauge wire

Light Source:
- Bulb: #1156, S-8 bayonet
- 12v bulb designed at 2.1 amp, 32 cp
- Bulb: #168, T-3-1/4 wedge
- 12v designed at .35 amp, 3 cp

Replacement Parts:
- 99086R red lens
- 9102 pigtail

FMVSS:
- I6
- Side: A,P2



1/4 - 20 studs



- Replaces Ford parts E5HT-13201-AA (LH) & E5HT-13200-AA (RH)
- Includes integral plug

70352	**Red/Yellow, LH chrome**
70353	**Red/Yellow, RH chrome**
70356	**Red/Yellow, LH black**
70357	**Red/Yellow, RH black**

Navistar Universal Front Signal Lamp
Bulb Replaceable

Signal-Stat

Material:
- Polycarbonate lens & housing
- 16 gauge wire

Light Source:
- 12v bulb designed at 2.1 amp, 32 cp
- Bulb: #3157

Recommended Accessories:
- 9467 harness

FMVSS:
- I6,P
- Side: A,P2

4097A SHOWN with 9467 harness

- Navistar #1677715C91
- Accepts rear entry bulb socket and harness assembly, not included

4097A	**Yellow**



5800 Series Universal Combination Double Face Front Turn Signal Lamp, Side Marker & Reflex Reflector

Signal-Stat

Material:
- Polycarbonate lens & housing
- 16 gauge wire

Light Source:
- 12v bulb designed at 2.1 amp, 32 cp
- Bulb: #1157

Replacement Parts:
- 9084A yellow lens
- 9120 O-ring
- 9465 harness

FMVSS:
- I6,P



5800AAK SHOWN

- Special Packard Metri-Pack connector
- GM #15565531

5800AA	**Yellow/Yellow, vertical mount**
5800AAK	**Yellow/Yellow, vertical mount w/9465 harness**

Vertical/Horizontal Mount Turn Signal
Bulb Replaceable

955 SHOWN

- Mounts left or right, horizontally or vertically
- Mounting hardware for stud or pedestal installation

955 **Red/Yellow w/sidemarker clearance lamp**



Material:
- Acrylic lens
- Die cast housing
- 16 gauge wire

Light Source:
- Bulb: #1816 park, #1156 signal

Replacement Parts:
- 8960 red lens
- 8960A yellow lens

FMVSS:
- I6,S2,T,P2

Dual Face GM Turn Signal Horizontal Mount
Bulb Replaceable

- Replaces GM #694627 (LH) & #694628 (RH)
- Mounts on 3.20" centers & connects with 2 spade terminals
- Unique GM harness connector (harness not available from Truck-Lite)

4854 **Red/Yellow, RH**
4855 **Red/Yellow, LH**

Material:
- Acrylic lens
- ABS housing

Light Source:
- Bulb: #1156 signal
- Bulb: #1895 marker
- Bulb: #1816 park

Replacement Parts:
- 9063 red lens
- 9080A yellow marker lens
- 9078A yellow park lens kit

FMVSS:
- I6,P2,P,A



Navistar Turn Signal Horizontal Mount
Bulb Replaceable

956AA SHOWN

- Receptacle type connector
- Mounting bracket included

956AA **Yellow/Yellow w/o parking lamp, Navistar #582779C91**
957AA **Yellow/Yellow w/parking lamp, Navistar #582780C91**

Material:
- Acrylic lens
- Die cast housing
- 16 gauge wire

Light Source:
- Bulb: #1816 park
- Bulb: #1156 signal

Replacement Parts:
- 8960 red lens
- 8960A yellow lens
- 96195 lens gasket



Dual Face GM Turn Signal Horizontal Mount
Bulb Replaceable

- GM #2029217
- Mounts on 3.20" centers & connects with 3 spade terminals
- Unique GM harness connector (harness not available from Truck-Lite)

4872AA **Yellow/Yellow**

Material:
- Polycarbonate lens & housing

Light Source:
- Bulb: #1157

Replacement Parts:
- 9083A yellow lens kit

FMVSS:
- I6,P



Universal Dual Face Turn Signal Horizontal Mount
Bulb Replaceable



- Features turn signal, side marker & reflector functions

81312Y **Yellow/Yellow**

Material:
- Polycarbonate housing
- Acrylic lens
- 18 gauge wire

Light Source:
- Bulb: #2357 designed at 12.8/14v, 2.23/.59 amp

Replacement Parts:
- 99128Y yellow lens



LED Double Face Pedestal Lamp 2/24 Diode Pattern

- 24 diode pattern (per side) with chrome plated housing
- Double-stud mount

Material:
- Polycarbonate lens
- Chrome plated housing

Light Source:
- Light Emitting Diodes (LEDs)
- Designed at 12.8v,
  Major 0.24 - 0.53 amp
  Minor 0.06 - 0.073 amp

FMVSS:
- 16

2758	**Red/Yellow, curbside**
2759	**Red/Yellow, roadside**





Universal Dual Face Turn Signal Bulb Replaceable

Material:
- Acrylic lens
- ABS housing
- 16 gauge wire

Light Source:
- Bulb: #1157

Replacement Parts:
- 8938 red signal lens
- 8938A yellow signal lens
- 8939A yellow marker lens

FMVSS:
- 16,A,P2,S2,T



- Includes separate ground wire for installation

4742	**Red/Yellow, flat surface mount, vertical mount**
4754	**Red/Yellow, flat surface mount, horizontal mount**

Universal Dual Face Turn Signal Vertical Mount Bulb Replaceable

Material:
- Acrylic lens
- Chrome plated polycarbonate housing
- 16 gauge wire

Light Source:
- Bulb: #1157

Replacement Parts:
- 9063A yellow lens
- 9080A S/M lens

FMVSS:
- 16,P,A,P2



- Kenworth #K-256-D-324
- Plugs into Kenworth harness connector & includes terminated wire

4874AY101	**Yellow/Yellow, chrome housing w/harness**

Dual Face Turn Signal Vertical Mount Bulb Replaceable

Material:
- Polycarbonate lens & housing
- 16 gauge wire

Light Source:
- Bulb: #2356

Replacement Parts:
- 9079 red lens
- 9079A yellow lens
- 9080A yellow marker lens kit
- 9260 harness

FMVSS:
- 16



- Navistar #444660C91 (left), 659C91 (Right)
- Keyed plug-in receptacle accepts OEM harness

4842	**Red/Yellow, black housing**
81331	**Yellow/Yellow, black housing**

Dual Face Turn Signal Horizontal Mount Bulb Replaceable

Material:
- Acrylic lens
- Polycarbonate housing
- 16 gauge wire

Light Source:
- Bulb: #1156 signal
- Bulb: #1895 marker

Replacement Parts:
- 9063 red lens
- 9063A yellow lens
- 9080A yellow marker lens

FMVSS:
- 16,P,P2,A

- GM #677914

4810	**Red/Yellow, black housing**



2 YEAR WARRANTY

Signal-Stat

LED Double Face Pedestal Lamp Square Sealed 24 Diode Pattern

- 24 diode pattern
- Chrome plated housing

2752	**Yellow/Yellow w/sidemarker clearance lamp**
2753	**Red/Yellow roadside**
2756	**Red/Yellow curbside**

Material:
- Polycarbonate lens
- Chrome plated housing

Light Source:
- Light Emitting Diodes (LEDs)
- Yellow/yellow designed at 12.8v; major 0.48 - 0.64 amp
- Red/yellow designed at 12.8v; major 0.24 - 0.53 amp; minor 0.06 - 0.073

FMVSS:
- Red/Yellow: I6
- Yellow/Yellow: I6,P2



Signal-Stat LED UPGRADE

Dual Face Turn Signal Vertical Mount Bulb Replaceable

4801 SHOWN

- Black housed version is a popular Western Star replacement
- Chrome housed version is a popular replacement for Volvo & Peterbilt

4800	**Red/Yellow, black housing**
4801	**Red/Yellow, chrome housing**

Material:
- Acrylic lens
- Black or chrome plated polycarbonate housing
- 16 gauge wire

Light Source:
- Bulb: #1156 turn signal
- bulb: #1895 marker

Replacement Parts:
- 9063 red lens
- 9063A yellow lens
- 9080A yellow marker lens

FMVSS:
- I6,A,P2



Signal-Stat

Dual Face Turn Signal Vertical Mount Bulb Replaceable

4805AY116 SHOWN

- Freightliner #A06-18900-000 (LH), #A06-18900-001 (RH)
- Includes OEM 49” harness that mates with truck harness – simplifying replacement
- Mounting pad included
- Two 5/16” studs on 2” centers

4805AY116	**Red/Yellow, LH**
4805AY117	**Red/Yellow, RH**

Material:
- Polycarbonate lens & housing
- 16 gauge wire

Light Source:
- Bulb: #1156 signal
- Bulb: #1895 marker

Replacement Parts:
- 9083 red lens kit
- 9083A yellow lens kit
- 9080A yellow marker lens kit

FMVSS:
- I6,A,P2



Signal-Stat

Dual Face Turn Signal Vertical Mount Bulb Replaceable

4805AAY115 SHOWN

- 4805AAY115 includes OEM 7” harness that mates with truck harness – simplifying replacement
- 4805AAY118 included 75” OEM mating harness

4805AAY115	**Yellow/Yellow, black housing, Freightliner #681-822-0020**
4805AAY118	**Yellow/Yellow, black housing, Freightliner #681-822-0120**

Material:
- Polycarbonate lens & housing
- 16 gauge wire

Light Source:
- Bulb: #1156 signal
- Bulb: #1895 marker

Replacement Parts:
- 9079 red lens
- 9079A yellow lens
- 9080A yellow marker lens kit

FMVSS:
- I6,A,P2



LED Long Life Vehicle Retrofit

Material:
- Polycarbonate lens & housing
- PVC grommet
- 18 gauge wire

Replacement Parts:
- 60701 LLV grommet
- 45701 LLV grommet

- Increases vehicle conspicuity with intense displays of light output
- Instantaneous response time, 200 milliseconds faster than that of incandescent lamps, creating 18 feet of additional stopping distance for trailing vehicles at highway speeds
- LED Versions rated at 100,000 hours of operation, covering 4 million miles
- Extended period of operation translates to less vehicle downtime and zero maintenance

FUNCTION	QTY REQUIRED	INCANDESCENT #	LED #
Stop & Tail Lamp	2	45022R	45032R
Turn & Hazard Lamp	4	45021Y	45073Y
Back-Up Lamp	2	45024	
Side Lamp, Rear	2	60023R	60180R
Side Lamp, Front	2	60024Y	60180Y
Front, Park & Turn Lamp	2	60022Y	60074Y
Center High Mount Stop Lamp	1	60021R	60060R





LED 60® Series High Mounted Stop Lamp
26 Diode Pattern

- Recommended for auxiliary brake light applications only
- Electronics completely sealed in epoxy to resist corrosion & moisture

60061R	**Red, grommet kit**
60260R	**Red lamp**
60062R	**Red, gray flange kit**
60262R	**Red lamp & gray flange**
60266R	**Red lamp & black flange**



Material:
- Polycarbonate lens, housing & flange
- PVC grommet
- 16 gauge wire

Light Source:
- Light Emitting Diodes (LEDs)
- Designed at 14v, .35 amp

Kit Components:
60061R grommet kit:
1 - 60260R lamp
1 - 60700 grommet
1 - 94789 adapter plug
60062R gray flange kits:
1 - 60262R lamp & flange
1 - 94789 adapter plug

Recommended Accessories:
- Mounting: Pages 240-241
- Plugs: Pages 194-195

FMVSS:
- U2,U3

- Features high mount stop function when center mounted on the top rear of the vehicle

45007R	**Red, grommet kit**
45207R	**Red lamp**

45® Series CHMSL Products
Sealed

Material:
- Polycarbonate lens & housing
- PVC grommet
- 16 gauge wire

Light Source:
- 12v bulb designed at 1.44 amp, 21 cp

Kit Components:
45007R grommet kit:
1 - 45207R lamp
1 - 45700 grommet
1 - 94992 right angle plug

FMVSS:
- U2,U3



See above

- Features high mount stop function when center mounted on the top rear of the vehicle
- Recommended for auxiliary brake light applications only

60013R	**Red, grommet kit**
60213R	**Red lamp**

Super 60® CHMSL
Sealed

Material:
- Polycarbonate lens & housing
- PVC grommet
- 16 gauge wire

Light Source:
- 12v bulb designed at 1.44 amp, 21 cp & rated for 500 hours

Kit Components:
60013R grommet kit:
1 - 60213R lamp
1 - 60700 grommet
1 - 94992 right angle plug

Recommended Accessories:
- Mounting: Pages 240-241
- Plugs: Pages 194-195

FMVSS:
- U2,U3



40® Series CHMSL Products Sealed

Material:
- Polycarbonate lens & housing
- 16 gauge wire

Light Source:
- 12v bulb designed at 1.44 amps, 21 cp

Recommended Accessories:
- Mounting: Pages 237-239
- Plugs: Pages 194-195

FMVSS:
- U2,U3

- Features high mount stop function when center mounted on the top rear of the vehicle
- Heavy duty shock-mounted bulb
- Recommended for use in center high mounted stop lamp applications only

40247R **Red lamp**



LED 21® Series High Mount Stop & Marker Lamp 16 Diode Pattern

Material:
- Polycarbonate lens & housing
- 16 gauge wire

Light Source:
- Light Emitting Diodes (LEDs)
- 12v lamp designed at 14v, .18 amp (HMSL) and .03 amp (marker/clearance)

Recommended Accessories:
- 97034 mounting gasket
- 97036 sealing gasket

FMVSS:
- U2,U3,P2

- Optional gaskets available to improve seal between lamp & body
- Electronics completely sealed in epoxy to resist corrosion & moisture
- Hardwired design eliminates pin corrosion
- Recommended for use in center high mounted stop lamp applications only

21271R **Red lamp**



LED CHMSL Lamp Adhesive Mount 9 Diode Pattern

Material:
- Polycarbonate lens & housing

Light Source:
- Light Emitting Diodes (LEDs)
- Designed at 13.2v, .25 amp

FMVSS:
- U2,U3

- Slim lamp welcomes applications where space is at a premium
- Adhesive back adheres to mounting surface without the need for installation screws or brackets
- Peel & stick design makes for a tight, unbreakable seal
- DOT/SAE compliant
- 96” wire lead makes wiring easier
- Recommended for use in center high mounted stop lamp applications only

92100 **Red lamp**
92101 **Red lamp w/Packard connector**